



TENDER DOCUMENT

**SUPPLY, DELIVERY AND INSTALLATION OF VARIOUS
LABORATORY EQUIPMENT FOR AMREF INTERNATIONAL
UNIVERSITY, NORTHLANDS CAMPUS.**

TENDER NO./AMIU/19/03/2025/002

AMREF HEALTH AFRICA IN KENYA

LOT NUMBER ONE (1)

Table of Contents

PART A: TECHNICAL REQUIREMENTS	2
SECTION 1: Invitation to Tender.....	2
SECTION 2: Instructions to Tenderers.....	4
2.1 Eligible Tenderers.....	4
2.2 Cost of tendering.....	4
2.3 Specific Instructions.....	4
2.4 Amendment of documents.....	4
2.5 Tender Prices and Currencies.....	5
2.6 Validity of Tenders.....	5
2.7 Sealing and Marking of Tenders.....	5
2.8 Deadline for Submission of Tenders.....	5
2.9 Modification of Tenders.....	5
2.10 Withdrawals of Tender.....	5
2.11 Opening of Tenders.....	6
2.12 Clarification of Tenders.....	6
2.13 Evaluation and Comparison of Tenders.....	6
2.14 Notification of Award.....	6
2.15 Appeal Period.....	6
2.16 Contacting Amref Health Africa.....	6
2.17 Leadtime and Delivery Details.....	7
SECTION 3: Eligibility Requirements and Technical Specifications.....	8
a) Preliminary Evaluation Criteria.....	8
b) Technical Evaluation Criteria.....	9
SECTION 4: Confidential Business Questionnaire.....	21
SECTION 5: Tender Security Form.....	22
SECTION 6: Manufacturers' Authorization Form.....	23
SECTION 7: References.....	24
SECTION 8: Delivery Schedule of Goods.....	25
PART B: FINANCIAL REQUIREMENTS	34
SECTION 1: Price Schedule.....	34
SECTION 2: Delivery Leadtime.....	34
DECLARATION	35
DELIVERY COMMITMENT FORM	36
ANNEX 1: STAGES OF TENDER	37

PART A: TECHNICAL REQUIREMENTS

SECTION 1: Invitation to Tender

1. Amref Health Africa invites sealed bids from eligible candidates for the supply, delivery and installation of various laboratory equipment as per the lots listed below;

Lot	Description	Qty	UOM	Delivery Location
1	Supply, delivery and installation of laboratory apparatus.	LOT	1	Amref International University, Northlands Campus
2	Supply, delivery and installation of laboratory equipment.	LOT	1	Amref International University, Northlands Campus
3	Supply, delivery and installation of physiotherapy laboratory equipment.	LOT	1	Amref International University, Northlands Campus
4	Supply, delivery and installation of nursing simulations and skills laboratory equipment.	LOT	1	Amref International University, Northlands Campus

2. **This tender document is only for Lot Number One (1)**
3. Interested eligible bidders may obtain further information from the Amref Health Africa website www.amref.org and the Amref International University website www.amref.ac.ke
4. Complete sets of tender documents can be downloaded from the Amref Health Africa website; <http://amref.org/tenders/> or the Amref International University website <https://amref.ac.ke/tenders/> by interested bidders upon payment of a non-refundable fee of **Ksh.2,000 PER LOT**. The payment should be made through the following Bank account(s): **National Bank of Kenya Account No.: 01020058330100, Wilson Branch**, or through **MPESA Paybill No.: 000557 Account No.: LAB-EQUIPMENT**

Note: Amref Health Africa will not issue eTIMS receipt for payment made.
5. Candidates will then attach a copy of the mobile money receipt or a copy of the banking deposit slip to the tender documents as proof of purchase of the tender document.
6. Completed tender documents for preliminary and technical requirements are to be enclosed in a plain envelope marked with the tender reference number and tender name. **The financial bid MUST be in a separate envelope marked with the tender reference number, tender name, vendor name and vendor contact details. The financial bid will only be opened for those bidders who will have qualified in the technical evaluation. Please note that only one complete tender document per lot is required (Do not provide additional copies per lot).**
7. Tenders must be delivered to the address below no later than **Wednesday 2nd April 2025 at 12.00 noon** and must be accompanied by a tender security of **KES 70,200** in the Currency specified in the tender document in the form of a bank guarantee from a reputable bank and must be delivered with the Tender Documents in the technical bid, **(bid bonds from insurance companies will NOT be accepted)**. The tender security validity period from the

date of closing tender should also be indicated.

8. Interested eligible bidders are also invited to a virtual pre-tender conference to be held on **Friday 21st March 2025** starting at **9:00 AM**.

Register in advance for this meeting through the link below:

https://amref.zoom.us/meeting/register/rGJFe_qXRdCGDghmMGYnNA

After registering, you will receive a confirmation email containing information about joining the meeting.

9. Completed Tender Documents are to be enclosed in a plain sealed envelope(s) clearly marked with the tender name and tender reference number and should be addressed to the following address:

**Group Financial Resources Director
Amref Health Africa
P.O. Box 30125-00100,
NAIROBI**

10. Tender Documents should be received on or before **Wednesday 2nd April 2025** at **12 noon** at the **Amref International University (AMIU) - Tender Box** at the **Main Reception** along **Langata Rd Opposite Wilson Airport**. Electronic bidding will not be permitted. Late tenders will be rejected. Tenders will be opened immediately thereafter in the presence of the Tenderers' representatives who choose to attend the tender opening ceremony at Amref International University.
11. Bidders **MUST** submit full names and National ID numbers of Tenderers' representatives who wish to attend the tender opening to Tender.Kenya@amref.org with the subject '**Supply and Delivery of Laboratory Equipment**' by **Wednesday 2nd April 2025** at **10:00 AM**. Representatives will be required to present a National ID for identification. Representatives who would not have submitted their names and National ID numbers in advance will not be allowed to attend the tender opening.
12. Prices quoted should be inclusive of VAT and all other applicable taxes and must be in Kenya Shillings and shall remain valid for 90 days from the closing date of the tender. The prices in your financial quotation should be broken down as follows: (Do not key in your financial quotation in this section)

- (i) Unit price
- (ii) 16% VAT
- (iii) Other applicable taxes
- (iv) Transport Cost if applicable
- (v) TOTAL COST

SECTION 2: Instructions to Tenderers

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tender is open to all eligible bidders.
- 2.1.2 Tenderers shall not be under a declaration of ineligibility for corrupt or fraudulent practices.

2.2 Cost of tendering

- 2.2.1 The tenderer shall bear all costs associated with the preparation and submission of its bid. Amref Health Africa or its agents, will under no circumstance be responsible or liable for those costs regardless of the conduct or outcome of the tendering process.

2.3 Specific Instructions

- 2.3.1 Bidders must quote for all items and quantities as indicated as indicated in the tender document in order to qualify for evaluation.
- 2.3.2 The final bound tender document must be serially paginated (All pages in the document from the top page (immediately after the top cover) to the last page (one before the back cover) including table of contents, separators, brochures, bank deposit slip and any other attachments) in a continuous ascending order from the first page to the last in this format; 1,2,3.....n where n is the last numerical page number.
- 2.3.3 Should the reverse side of any leaf have content, it will also be considered as a page and must also be paginated.
- 2.3.4 Any alterations to the page numbering in the bid document must be clearly countersigned by the bidder. Failure to countersign such modifications shall render the bid non-compliant with the pagination requirement clause 2.3.2.
- 2.3.5 Any secondary attachment to a page (such as bank deposit slips/receipts etc.) should be glued onto that page. Stapling of secondary attachments is not allowed and may render your bid non-responsive.
- 2.3.6 Bids will be evaluated on a lot-by-lot basis
- 2.3.7 The submitted tender document including brochures and any other attachments shall be written in English.
- 2.3.8 Amref effectively checks the validity of the CE certificates (or equivalent documents such as ISO certificates) with issuing authorities and bidders are fully expected to do the same before submission.
- 2.3.9 Bidders shall be required to ensure that all applicable equipment is registered with the Pharmacy and Poisons Board of Kenya upon importation, where such registration is required by law. Equipment not subject to registration under the applicable regulations is exempt from this requirement.

2.4 Amendment of documents

- 2.4.1 At any time prior to the deadline for submission of tenders, Amref Health Africa for any reason, whether at its initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendments.
- 2.4.2 All prospective candidates who have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.4.3 In order to allow prospective tenderers reasonable time in which to take the amendment into

account in preparing their tenders, Amref Health Africa at its discretion may extend the deadline for the submission of tenders.

2.5 Tender Prices and Currencies

2.5.1 The tenderer shall indicate on the appropriate Price Schedule, the unit prices inclusive of all taxes and the total tender price of the items proposed to be purchased under the contract.

2.5.2 Prices quoted by the tenderer shall be fixed during the tender validity period and not subjected to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected.

2.5.3 The price quoted shall be in **Kenya Shillings**.

2.6 Validity of Tenders

2.6.1 Tenders shall remain valid for 90 days after the date of tender opening prescribed by Amref Health Africa, pursuant to paragraph 2.10. Tenders valid for a shorter period shall be rejected by Amref Health Africa as non-responsive.

2.6.2 In exceptional circumstances, Amref Health Africa may solicit the tenderers' consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tenderer may refuse the request. A tenderer granting the request will not be required nor permitted to modify its tender.

2.7 Sealing and Marking of Tenders

2.7.1 The tenderer shall seal the tender and mark it with the tender reference number and tender name and **“DO NOT OPEN BEFORE 12 NOON on Wednesday 2nd April 2025”**

2.8 Deadline for Submission of Tenders

2.8.1 Tenders must be received by Amref Health Africa at the address specified not later than **12 noon, on Wednesday 2nd April 2025**.

2.9 Modification of Tenders

2.9.1 The tenderer may modify or withdraw its tender after the tender's submission provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by Amref Health Africa prior to the deadline prescribed for submission of tenders.

2.9.2 The tenderer modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.10:1. A withdrawal notice may be sent by email but followed by a signed confirmation copy, postmarked no later than the deadline for submission of tender

2.9.3 No tenderer may be contacted after the deadline for submission of tenders.

2.10 Withdrawals of Tender

2.10.1 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer.

2.10.2 A bidder who withdraws its tender after the deadline for submission will forfeit its bid security deposit.

2.11 Opening of Tenders

- 2.11.1 Amref Health Africa will open all tenders in the presence of tenderers' representatives who choose to attend the tender opening ceremony at **12 noon, on Wednesday 2nd April 2025** in the location specified in the tender. The tenderers or representatives who are present shall sign a register evidencing their attendance.
- 2.11.2 The tenderers' names, tender modifications or withdrawals, and the presence or absence of requisite tender security and such other details as Amref Health Africa, at its discretion may consider appropriate, will be announced at the opening.
- 2.11.3 Amref Health Africa will prepare a tender opening report.

2.12 Clarification of Tenders

- 2.12.1 To assist in the examination, evaluation and comparison of tenders Amref Health Africa, at its discretion, may ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or Substance of the tender shall be sought, offered, or permitted.
- 2.12.2 Any effort by the tenderer to influence Amref Health Africa in the tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderer's tender.

2.13 Evaluation and Comparison of Tenders

- 2.13.1 Amref Health Africa will examine the tenders to determine whether they are complete, whether any computation errors have been made, whether required securities/tender purchases have been furnished, whether documents have been properly signed and whether the tenders are generally in order. After examination, a tender that will be determined to be substantially non-responsive will be rejected by Amref Health Africa.
- 2.13.2 Amref Health Africa will evaluate and compare the tenders, which have been determined to be substantially responsive.
- 2.13.3 Amref Health Africa will notify bidders who will be required to provide samples in good time with specific sample submission details following the **finalization of the preliminary evaluation**.
- 2.13.4 Amref Health Africa will ensure that the submitted samples are catalogued accordingly and correspond to the assigned bid number(s). The tenderers should ensure that all their samples have been captured correctly.

2.14 Notification of Award

- 2.14.1 Prior to the expiration of the period of tender validity, Amref Health Africa will notify the successful tenderer in writing that the tender has been accepted.
- 2.14.2 Simultaneously the other tenderers shall be notified that their tenders have been unsuccessful.

2.15 Appeal Period

- 2.15.1 Any vendor/service provider who wishes to appeal against the outcome of the tender shall do so in writing within 3 working days of the date of the notification/regret letter. Any letter received after the third day shall not be responded to and shall be treated as null and void. Amref Health Africa shall have dispensed with this procurement.

2.16 Contacting Amref Health Africa

- 2.16.1 No tenderer shall contact Amref Health Africa on any matter relating to its tender, from the time of the tender opening to the time the contract is awarded.

2.16.2 Any effort by a tenderer to influence Amref Health Africa in its decisions on tender evaluation, tender evaluation committee, or contract award will result in the rejection of the tenderer's tender.

2.17 Leadtime and Delivery Details

2.17.1 The supplier should be able to deliver the items they have quoted for as specified in this tender document.

2.17.2 The supplier should include delivery schedule with lead times.

2.17.3 On arrival the supplies should be free from damage. The supplier shall be liable for all losses due to insufficient or unsuitable packing and delivery arrangements, and shall be liable for the cost of returning any unacceptable supplies.

2.17.4 The supplies must be free from objectionable matter and any substances that would represent a hazard to health.

SECTION 3: Eligibility Requirements and Technical Specifications

a) Preliminary Evaluation Criteria

Bids will be evaluated based on the below criteria.

Bids **lacking any of the documents** below will be considered non-responsive and therefore will be eliminated at this stage.

PRELIMINARY EVALUATION OF MANDATORY REQUIREMENTS

No.	Particulars	Marks	Bidders Score	Remarks
1.	Provide a copy of the Certificate of Incorporation/Certificate of Registration.	1 or 0		
2.	Provide a copy of a valid KRA Tax Compliance Certificate.	1 or 0		
3.	Attach mobile money deposit receipt/banking deposit slip as proof of purchase of the tender document. <i>(If applying for more than one LOT, you need to provide specific payment for each LOT).</i>	1 or 0		
4.	Provide a copy of the Valid Business Trading License.	1 or 0		
5.	Submit a current CR12 from the Registrar of Companies <i>(generated not earlier than December 2023)</i> or copies of identification cards for Sole Proprietors/Partnerships.	1 or 0		
6.	Provide tender security from a reputable bank amounting to KES 70,200 <i>(Original Tender security must be attached)</i> valid until Monday, September 29 2025.	1 or 0		
7.	Provide the Manufacturer's Certificate <i>(if bidding as the manufacturer)</i> or Manufacturer's Authorization Form/Certificate <i>(if not the manufacturer).</i>	1 or 0		
8.	Must submit copies of the most recent 2 sequential audited financial reports (from 2021) and each must be signed and dated by the auditor and the firms' Directors. <i>(Both reports must have an unqualified/ unmodified auditor's opinion).</i>	1 or 0		
Bids missing any of the above mandatory decrements/requirements numbered 1 to 8 will be considered non-responsive and therefore will be eliminated at this stage				

NOTE:

- **All the above documents numbered 1 to 8 should be packaged and arranged in that order under the preliminary evaluation criteria section of the tender document.**
- **The completed tender documents should be bound by tape. Spiral binding is discouraged.**

b) Technical Evaluation Criteria

No.	Detailed technical Specifications/Description of requirements	Marks	Score	Remarks
1.	<p>Must provide catalog/brochures/data sheets and manuals detailing the specifications for each of the items below;</p> <ul style="list-style-type: none"> i. Laboratory timer; ii. Iodine Fuming Kit; LPF100 Iodine Fuming Kit iii. Dry-seal vacuum Desiccator iv. Large- Reusable Volumetric Pipets v. 25ml Glass Serological Pipettes vi. DWK Life Sciences Precision Bore Burets vii. Flat Top Triangular Tripod Stand viii. Superwin Laboratory Stand Support ix. Heavy Wall Funnel Borosilicate Glass Funnel x. 12L Lab Autoclave, Portable Steam Autoclave xi. General Purpose Lab Thermometer xii. Laboratory Test Sieves Stainless Steel xiii. Manual Capsule Counter Count Board xiv. Vernier Caliper Digital Micrometer xv. Short Path Distillation 2L xvi. Culture Tube, Media xvii. Aluminum Staining Rack xviii. Anaerobic Culture Tank 3 Stacks of 12 Dishes xix. Aneroid Sphygmomanometers, xx. 3M Littmann Classic III Monitoring Stethoscope, xxi. Mini Fibre Otoscope xxii. Clinical Thermometers (Standard) xxiii. 34 Pcs Advanced Biology Lab Anatomy Student Dissecting Dissection Kit Set xxiv. 360 Stackable Stainless-Steel Dissecting Pan xxv. Portable Breathable Plastic cage xxvi. Fingertip Pulse Oximeter Blood Oxygen Saturation Monitor xxvii. ON CALL Blood Glucose Monitor Kit xxviii. Double sided Fetoscopes Aluminum xxix. Umbilical Cord Clamping Kit xxx. portable Turbidity Meter xxxi. Micro haematocrit Reader xxxii. ONiLAB Lab Micropipette xxxiii. Lab Single Channel Pipettor xxxiv. Universal First Aid Kit 25x16x7cm xxxv. Portable Laboratory Conductivity Meter xxxvi. Infrared Thermometer Gun (LaserPro LP300) xxxvii. Blood roller mixer xxxviii. Digital Blood Pressure Machines xxxix. Mission plus Haemoglobin Testing Machine xl. Scientific Eight Key Manual Differential Cell Counter, xli. Micropipette xlii. Micropipette 100-1000ul xliii. ONiLAB 50-200ul High-Accurate Single-Channel 	<p>22.5 or 0 Marks</p>		

	<p>Manual Adjustable Variable Volume Pipettes xlv. Melting Point Apparatus, xlv. 2/3-Layer Lab Medical Cart Stainless Steel Rolling Cart</p> <p>(0.5 Mark per catalog/brochure and manual provided for each requested item)</p>			
2.	<p><u>Laboratory Timer</u> ❖ Technical Specifications:</p> <ul style="list-style-type: none"> • Four Channel Timer/Clock • Independently or simultaneously set time on four channels • Audible and visual alarms signify elapsed time • Easily toggle between channels and clock with top buttons • Includes spring clip with magnetic back; 73 x 59 x 13 mm 	2 or 0 Marks		
3.	<p><u>Handheld Magnifying Lens with Metal Handle</u> ❖ Technical Specifications:</p> <ul style="list-style-type: none"> • Magnification: 30x • Color: Black • Diameter: 1.57 inch (40 mm) • Lens Height: 1.2 inch (30 mm) • Lens Material: Optical glass • Length with Handle: 4.42 inch (12 cm) 	2 or 0 Marks		
4.	<p><u>Uvex Stealth Safety Goggles with Clear Hydro Shield Anti-Fog Lens</u> ❖ Technical Specifications:</p> <ul style="list-style-type: none"> • White Body; Superior optics; impact-resistant frame and lens; • Wraparound toric lens for optimal viewing; Contemporary low-profile design with indirect venting; Soft, elastomer body • Quick-adjust headband in fabric or Neoprene; • Easy snap-on lens replacement • Meets ANSI Z87.1-2003 and CSA Z94.3 standards 	2 or 0 Marks		
5.	<p><u>Iodine Fuming Kit; LPF100 Iodine Fuming Kit</u> ❖ Supplied with:</p> <ul style="list-style-type: none"> ➤ 8 - DF201 Fumette Disposable Iodine Fuming Guns ➤ 8 - DCA1 Iodine Print Enhancer Ampoules ➤ 2 - SP501 2" x 2" Silver Transfer Plates ➤ 1 - SP505 Silver Cleaner/Polish, 2 oz ➤ 1 - KCP226 Suction Cup Plate Holder ➤ 1 - LPF1001 Texturized, Molded-Plastic Carrying Case 	2 or 0 Marks		
6	<p><u>1000mL PYREX Class A Volumetric Flask</u> ❖ Supplied with:</p> <ul style="list-style-type: none"> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask. 	2 or 0 Marks		
7	<p><u>500mL PYREX Class A Volumetric Flask</u> ❖ Supplied with:</p> <ul style="list-style-type: none"> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask. 	2 or 0 Marks		

8	<u>250mL PYREX Class A Volumetric Flask</u> ❖ <u>Supplied with:</u> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask.	2 or 0 Marks		
9	<u>100mL PYREX Class A Volumetric Flask</u> ❖ <u>Supplied with:</u> ➤ with PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask.	2 or 0 Marks		
10	<u>25mL PYREX Class A Volumetric Flask</u> ❖ <u>Supplied with:</u> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask.	2 or 0 Marks		
11	<u>Dry-seal vacuum Desiccator</u> ❖ <u>Supplied with:</u> ➤ cover knob SIZE 4 " & 5" borosilicate glass; Internal Diameter 300mm.	2 or 0 Marks		
12	<u>Large- Reusable Volumetric Pipets,-Color-Coded, Colored Graduations, open tip.</u>	2 or 0 Marks		
13	<u>25ml Glass Serological Pipettes</u>	2 or 0 Marks		
14	<u>DWK Life Sciences Precision Bore Burets</u> ❖ <u>Supplied with:</u> ➤ PTFE Stopcock; 50 mls; Permanently marked with individual serial number; Borosilicate glass.	2 or 0 Marks		
15	<u>Ceramic Crucible 100GM</u>	2 or 0 Marks		
16	<u>Ceramic Crucible 250GM</u>	2 or 0 Marks		
17	<u>Crucible Tongs, with Bow - 4" Capacity - Stainless Steel - Flat Ends - 8.25" in Length.</u>	2 or 0 Marks		
18	<u>Buchner Funnel Kit Filter Flask SET 080mm Funnel and 500ml Vacuum Flask.</u>	2 or 0 Marks		
19	<u>500ml Plastic Graduated Cylinder, Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific.</u>	2 or 0 Marks		
20	<u>100ml Plastic Graduated Cylinder, Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific.</u>	2 or 0 Marks		
21	<u>1000ml Plastic Graduated Cylinder, Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific.</u>	2 or 0 Marks		
22	<u>10ml Plastic Graduated Cylinder, Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific 23713.</u>	2 or 0 Marks		
23	<u>Erlenmeyer Flask, 50ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.</u>	2 or 0 Marks		
24	<u>Erlenmeyer Flask, 1000ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.</u>	2 or 0 Marks		
25	<u>Erlenmeyer Flask, 500ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.</u>	2 or 0 Marks		
26	<u>Erlenmeyer Flask, 250ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.</u>	2 or 0 Marks		
27	<u>Erlenmeyer Flask, 25ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.</u>	2 or 0 Marks		
28	<u>Erlenmeyer Flask, 100ML Borosilicate Glass Conical Flasks</u>	2 or 0		

	with Narrow Mouth, Printed Scale.	Marks		
29	Erlenmeyer Flask , 2000ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	2 or 0 Marks		
30	1000ML Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	2 or 0 Marks		
31	500ML Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	2 or 0 Marks		
32	250ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	2 or 0 Marks		
33	100ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	2 or 0 Marks		
34	Pyrex GLASS BEAKERS 50ML	2 or 0 Marks		
35	25ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout	2 or 0 Marks		
36	5ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout	2 or 0 Marks		
37	10ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout	2 or 0 Marks		
38	Glass Stirring Rods Stir Stick with Both Round Ends 12 Inch Long 7 mm Diameter and 6 Inch Long 5 mm Diameter	2 or 0 Marks		
39	Flat Top Triangular Tripod Stand ; A mild steel tripod stand with a flat triangular top and plastic feet; Length of side: 125mm; Height: 200mm	2 or 0 Marks		
40	Superwin Laboratory Stand Support , Chemistry Test Tube Holder, Lab Table Clamp Stand W/ Burette Clamp And Flask Ring Clamps (16IN), 16-ST	2 or 0 Marks		
41	PYREX® 500 mL Cylindrical Separatory Funnel , Graduated, PTFE Product Standard Stopcock, Glass Standard Taper Stopper	2 or 0 Marks		
42	Test Tube Rack with 6 Draining Pins - Accommodates 13 Tubes, up to 25mm - 10.25" Wide, 8" Tall	2 or 0 Marks		
43	Borosilicate 15 ml TEST TUBES	2 or 0 Marks		
44	Centrifuge tube , 15 mL, 17x120 mm, conical (V) bottom, w/ graduation, I.D. field 15ml Plastic Centrifuge Tubes with Screw Cap, CertBuy 50 Pack Self-Standing Plastic 15ml Test Tube Polypropylene Conical Tubes with Cap, Graduated Marks 17x120 mm, conical (V) bottom, I.D. field	2.5 or 0 Marks		
45	50ml Plastic Centrifuge Tubes with Screw Cap, CertBuy 50 Pack Self-Standing Plastic 50ml Test Tube Polypropylene Conical Tubes with Cap, Graduated Marks	2 or 0 Marks		
46	Lab Bunsen Burner , Air & Gas Adjustment with Flame Stabilizer for Natural Gas & Propane with heavy duty GAS PIPES 6MM (1M); Base diameter - 7.8cm/3.07in, height - 17.5cm/6.89in Materail: Zinc alloy base & copper tube, Weight: Approx. 224g.	2 or 0 Marks		
47	ASBESTOS WIRE GAUZE Squares , 5x5" - 3" WITH Ceramic Center	2 or 0 Marks		
48	Nessler Cylinder, 100ml - Class A - Borosilicate Glass - Blue, Ceramic Graduations	2 or 0 Marks		

49	White Porcelain , ceramic MORTAR & PESTLES (ceramic) 250ml	2 or 0 Marks		
50	White Porcelain , ceramic MORTAR & PESTLES (ceramic) 500ml	2 or 0 Marks		
51	White Porcelain , ceramic MORTAR & PESTLES (ceramic) 1000ml	2 or 0 Marks		
52	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 50 mL	2 or 0 Marks		
53	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 25 mL	2 or 0 Marks		
54	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 500 mL	2 or 0 Marks		
55	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 1000 mL	2 or 0 Marks		
56	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 100 mL	2 or 0 Marks		
57	100ml Dropper Bottles with Glass Pipettes(100ml)	2 or 0 Marks		
58	500ml Dropper Bottles with Glass Pipettes(500ml)	2 or 0 Marks		
59	Heavy Wall Funnel Borosilicate Glass Funnel , Short Stem 50mm Diameter, 50mm Stem Length	2 or 0 Marks		
61	Micro Spatula Spoon , 5.9", Stainless Steel, Polished, One 0.2" Flat End, One 0.2" Scoop End	2 or 0 Marks		
62	Spatula Spoons , 9", Stainless Steel, Polished, One 0.3" Flat End, One 0.5" Scoop End	2 or 0 Marks		
63	Stainless Steel Double-Ended Spatula , Flat, Round Tip/Square Ends, 12", each	2 or 0 Marks		
64	Stainless Steel Spatula , Both Ends Flat, 6"	2 or 0 Marks		
65	Combination Spatula , Spoon and Scoop, Stainless Steel	2 or 0 Marks		
66	12L Lab Autoclave , Portable Steam Autoclave; Voltage: AC110V/50HZ. Rated Working Pressure: 0.10~0.14MPa (15~20 psi). Rated Working Temperature: 121~126°C (259~264°F)	3 or 0 Marks		
67	Evaporating Dish High-Temperature Resist Porcelain 150ml Round Form with Spout	2 or 0 Marks		
68	Evaporating Dish High-Temperature Resist Porcelain 250ml Round Form with Spout	2 or 0 Marks		
69	Evaporating Dish High-Temperature Resist Porcelain 500ml Round Form with Spout	2 or 0 Marks		
70	General Purpose Lab Thermometer 12 Inch Total Immersion Glass Liquid -20 to 150°C Liquid in Glass Thermometer	2 or 0 Marks		

71	Laboratory Test Sieves Stainless Steel - (DRY & WET TYPE) ❖ Technical Specifications: <ul style="list-style-type: none"> • Sieve Diameter: 200 mm, 400 mm • Sieve Depth H1: 32, 50 or 65 mm • Woven Wire Cloth: 30 µm to 11,2 mm (Stainless Steel) • Round Apertures: 0,5 to 125 mm (Stainless Steel) • Square Apertures: 4,0 to 125 mm (Stainless Steel) 	2 or 0 Marks		
72	Plastic Tablet counter with clear printed counting scale Triangular 230 x 205mm; White; Marked to 15 rows / 120 tablets	2 or 0 Marks		
73	Manual Capsule Counter Count Board 60C Size 0#~1# (0#~1#, 60) Plastic Special Feature Sturdy, Compact, Adjustable	2 or 0 Marks		
74	Digital Caliper Measuring Tool , Stainless Steel Vernier Caliper Digital Micrometer with Large LCD Screen, Easy Switch from Inch Metric Fraction, 6 Inch Caliper Tool	2 or 0 Marks		
75	100mm Glass Petri Dish with Lids High Borosilicate Glass Petri Dishes Bacterial Culture Dishes	2 or 0 Marks		
76	Short Path Distillation 2L , 2L Short Path with Cold Trap and 110V Stirring Heating Mantle	2 or 0 Marks		
77	250ml Plastic Safety Wash Bottle , Plastic Squeeze Bottle Narrow Mouth	2 or 0 Marks		
78	500ML Plastic Safety Wash Bottle , Plastic Squeeze Bottle Narrow Mouth	2 or 0 Marks		
79	Culture Tube , Media – Round Bottom, with PTFE liner & Rubber liner Screw Cap; borosilicate glass	2 or 0 Marks		
80	PLATINUM WIRES with HOLDERS length 200mm, looped	2 or 0 Marks		
81	Microorganism General Science Charts (BACTERIA, VIRUSES, PROTOZOA -DIMENSIONS 18 x 24 in. (45.7 x 70cm)	2 or 0 Marks		
82	Aluminium Staining Rack ❖ Technical Specifications: <ul style="list-style-type: none"> • HANDLE Made of aluminum. Collapsible handles on both sides. • Fits up to 25 slides. • Horizontal slide fit. • Features an open bottom for draining. 	2 or 0 Marks		
	Plastic Spirit Bottles Translucent 50ml,	2 or 0 Marks		
	Plastic Spirit Bottles 100ml, Translucent	2 or 0 Marks		
83	Plastic Spirit Bottles 250ml, Translucent	2 or 0 Marks		
84	Anaerobic Culture Tank 3 Stacks of 12 Dishes Diameter 9- 10cm	2 or 0 Marks		
85	Aneroid Sphygmomanometers , - Blood Pressure Cuff with D- Ring Universal Cuff 10-16", with Carrying Bag	2 or 0 Marks		
86	3M Littmann Classic III Monitoring Stethoscope , 5620, Stainless Steel Chestpiece, 27" Black Tube	2 or 0 Marks		

87	<p><u>Mini Fibre Otoscope (Auriscopes) –</u></p> <p>❖ Technical Specifications:</p> <ul style="list-style-type: none"> • New improved switch and bayonet fitting for more secure attachment of specula, Fibre optic • Bright 2.5 Volt F.O. Light G108 • Battery handle (2 x AA size batteries) • Plastic tube with reusable ear specula • Also fits Heine disposable tips 	2 or 0 Marks		
88	<p><u>Snellen Chart;</u> Wall Chart, Eye Charts for Eye Exams 20 feet 11 X 22 in.</p>	2 or 0 Marks		
89	<p><u>Ground-edge microscope slides</u></p>	2 or 0 Marks		
90	<p><u>Frosted end Microscope Slides</u></p>	2 or 0 Marks		
91	<p><u>20mm x 20mm Microscope Cover Slips Glasses</u></p>	2 or 0 Marks		
92	<p><u>Clinical Thermometers (Standard)</u></p> <p>❖ Technical Specifications:</p> <ul style="list-style-type: none"> • Glass and mercury free. • Digital, electronic version. • Temperature measurement range 32 – 43 °C (minimum guaranteed). • Accuracy $\pm 0.1^{\circ}\text{C}$ in the range 35 – 41 °C. • Graduation 0.3°C or better. • Ready-to-use after switch-on within 10 s. • Measurement time: within 120 seconds. • Low and high temperature indication. • Display easy to read in all levels of ambient light. • Automatic switch-off when not in use. • Beep audio alert when device is turned on/ready to use or when temperature measurement is complete. • Low battery indicator. • Full batteries allow for a minimum of 4,000 measurements. • Waterproof. • Designed to withstand frequent cleaning and disinfection with hospital-grade products. • Battery powered, 	2 or 0 Marks		
93	<ul style="list-style-type: none"> • <u>34 Pcs Advanced Biology Lab Anatomy Student Dissecting Dissection Kit Set</u> <p>34 Pcs Advanced Biology Lab Anatomy Student Dissecting Dissection Kit Set with Scalpel Knife Handle Scalpel Blades (All in One with Zipper Case) Blades 1 Ea 5" Scalpel Knife Handle #4 1 Ea 5" Scalpel Handle #3 1 Ea 5" Teaser Needle - Straight Point 1 Ea 5" Teaser Needle - Curved Point 1 Ea 5.6" Operating Scissors 1 Ea 4.6" Iris Scissors 1 Ea 5" Needle Driver 1 Ea 5" Mosquito Forceps 1 Ea 5" Wide Body Tooth Tissue Forceps, 1 Ea 5" Specimen Serrated Forceps 1 Ea 4.5" Micro Forceps</p>	2 or 0 Marks		

	1 Ea 5.6" Groove Detector 1 Ea 5.5" Dissecting Spatula 1 Ea 3.5" Magnifying Glass (Plastic Handle) 1 Premium Quality Carrying Case 10 - Disposable Scalpel Blades #20 For Handle #4 ,10 - Disposable Scalpel Blades #11 For Handle #3.			
94	360 Stackable Stainless-Steel Dissecting Pan with Self-Healing Plasticsol Liner, 11" L x 7" W x 1.5" D, Durable Lab Dissection Tray	2 or 0 Marks		
95	Intravenous CANNULAS G20, G18, & G24 (PINK, GREEN AND YELLOW)	2 or 0 Marks		
96	Portable Breathable Plastic cage	2 or 0 Marks		
97	Portable Breathable Animal Holding Box Cage White Material; Polypropylene & SS 304	2 or 0 Marks		
98	Fingertip Pulse Oximeter Blood Oxygen Saturation Monitor with Batteries Included	2 or 0 Marks		
99	ON CALL Blood Glucose Monitor Kit with 100 Blood Sugar Test Strips, 100 Lancets, 1 Blood Glucose Meter, 1 Lancing Device, 1 Control Solution, Travel Case	2 or 0 Marks		
100	Double sided Fetoscopes Aluminium	2 or 0 Marks		
101	Umbilical Cord Clamping Kit	2 or 0 Marks		
102	portable Turbidity Meter with 4 AA alkaline batteries, a carrying case with insert, primary calibration standards in 1" sealed vials (20, 100, 800 NTU), 10 NTU primary verification standard, 6 sample cells with screw-tops, instrument manual (printed and CD-ROM), quick start guide, silicone oil and oiling cloth.	2 or 0 Marks		
103	Micro haematocrit Reader 75mm	2 or 0 Marks		
104	ONiLAB Lab Micropipette , Adjustable Volume Single Channel Pipettors,100-1000ul	2 or 0 Marks		
105	Lab Single Channel Pipettor Adjustable Variable Volume,1-10ml High Accurate Micropipette for Laboratory	2 or 0 Marks		
106	Universal First Aid Kit 25x16x7cm , waterproof outer cover material ❖ Supplied with: <ul style="list-style-type: none"> • 2x Elastic Bandages, 6cm x 4m • 3x Elastic Bandages, 8cm x 4m • 2x Triangular Bandages, 96 x 96 x 136cm • 4x Disposable Gloves, Large • 1x Rescue Sheet, Silver/Gold, 210 x 160cm • 1x First Aid Scissor, 14.5cm • 1x Instruction Book for First Aid • 1x Adhesive Plaster, Rigid, 2.5cm x 5m • 8x Wound Plasters, Elastic, 10 x 6cm • 3x First Aid Packets, Sterile, 8 x 10cm • 1x First Aid Packet, Sterile, 10 x 12cm 	2 or 0 Marks		

	<ul style="list-style-type: none"> • 2x First Aid Dressings, Sterile, 40 x 60cm • 1x First Aid Dressing, Sterile, 60 x 80cm • 6x Wound Dressings, Sterile, 10 x 10cm 			
107	<p><u>Portable Laboratory Conductivity Meter</u></p> <p>Conductivity 0 to 19.99µS, 0 to 199.9µS, 0 to 1999µS, 0 to 19.99mS, 0 to 199.9mS, 0 to 1999mS</p> <p>Resolution 0.01µS, 0.1µS, 1µS, 0.01mS, 0.1mS, 1mS* Accuracy ±0.5% ±2 digits TDS ranges 0 to 19.99mg/l, 0 to 199.9mg/l, 0 to 1999mg/l, 0 to 19.99g/l, 0 to 199.9g/l, 0 to 1999g/l Resolution 0.01mg/l, 0.1mg/l, 1mg/l, 0.01g/l, 0.1g/l, 1g/l* *only with cell constant >5 Accuracy ±0.5% ±2 digits Temperature ranges 10 to +105°C / 14 to 221°F Resolution 0.1°C / 1°F Accuracy ±0.5°C / ±1°F ATC range 0 to 100°C / 32 to 212°F Manual temp. comp. 0 to 100°C / 32 to 212°F Cell constant 0.010 to 19.999 Temperature coeff. 0.00% to 4.00% Reference temp. 18, 20 25°C, default 25°C EC ratio (cond. to TDS factor) 0.50 to 0.80, default 0.6 Auto standard recognition 10µS, 84µS, 1413µS, 12.88mS Outputs Analogue 1mV per digit / RS232 Display Custom back lit LCD Power Power supply 9V a.c. Size 250(l) x 210(w) x 55(d) mm Weight 850g</p>	2 or 0 Marks		
108	<p><u>Mid Upper Arm Circumference (MUAC) measuring tape Adult</u> Mid Upper Arm Circumference (MUAC) measuring tape Adult Multicolor Blade Length 56 Centimeters Measurement Accuracy 1.0 mm Case Material Polyethylene</p>	2 or 0 Marks		
109	<p><u>Mid Upper Arm Circumference (MUAC) measuring tape Child</u> Mid Upper Arm Circumference (MUAC) measuring tape CHILD 2.28 x 2.2 x 1.25 inches; 0.63 ounces Blade Length 26 Centimeters</p>	2 or 0 Marks		
110	<p><u>Infrared Thermometer Gun (LaserPro LP300)</u> - Handheld Surface Thermometer</p>	2 or 0 Marks		
111	<p><u>Pen Torch LED Portable;</u> Lightweight, Small Bright Pen Flashlight with Clip, Waterproof</p>	2 or 0 Marks		
112	<p><u>Biohazard Waste 20L Medical Pedal Dustbin</u> - BLACK</p>	2 or 0 Marks		
113	<p><u>Biohazard Waste 20L Medical Pedal Dustbin</u> - RED</p>	2 or 0 Marks		

114	<u>Biohazard Waste 20L Medical Pedal Dustbin</u> - Yellow	2 or 0 Marks		
115	<u>Blood roller mixer</u> - BBRM 101 Blood Mixer 4 Roller	2 or 0 Marks		
116	<u>Digital Blood Pressure Machines</u> - OMRON M4 Blood Pressure Monitor	2 or 0 Marks		
117	<u>Mission plus Haemoglobin Testing Machine</u> Haemoglobin Analyser for blood Haemoglobin determinations	2 or 0 Marks		
118	<u>Scientific Eight Key Manual Differential Cell Counter</u> , standard stainless steel; DESCO	2 or 0 Marks		
119	<u>Micropipette</u> - Single Channel Pipette Compatible with Microlit 10ml Pipette Tips, Adjustable Volume Lab Pipette, Accurate and Calibrated Pipette (1-10ml)	2 or 0 Marks		
120	<u>Micropipette 100-1000ul</u> , Adjustable Pipettor for Laboratory, Single Channel Lab Pipette,Half-Autoclavable	2 or 0 Marks		
121	<u>ONiLAB 50-200ul High-Accurate Single-Channel Manual Adjustable Variable Volume Pipettes</u> , 7010101011	2 or 0 Marks		
122	<u>Melting Point Apparatus</u> , ❖ Technical Specifications: <ul style="list-style-type: none"> • DIGITAL Number of Samples: 2 • Temperature Range: Ambient to 300°C • Temperature Accuracy: ±1.0°C at 20°C at 300°C • Display: Four Digit LED • Display Resolution: 0.1°C • Display Hold Function: YES • Ramp Rates: <ul style="list-style-type: none"> ➢ 20° per Minute to Plateau ➢ Variable from 1 and 10° to Melt • Dimensions: 160 x 220 x 170mm • Weight: 1.8Kg • Electrical: 120 Volt, 75 Watt 	2 or 0 Marks		
123	<u>2/3-Layer Lab Medical Cart</u> ❖ Technical Specifications: Stainless Steel Rolling Cart Lab Medical Equipment Cart Trolley for Lab Hospital Clinics,with Non-Slip 360° Mute Wheel, Max Load 100kg (Battery *1 : 2 Layer-80x48x86cm) U-shaped Handrail, Moveable & Lock:Adopt 4pcs 360° Rolling Wheels, 2 Of Which Has Foot Brakes, Color: Silver Material: Stainless steel Number of Floors: 2/3 Wheels: Omnidirectional, Lockable Product Size (L * W * H): 2 Layer-60x40x86cm, 2 Layer-66x44x86cm, 2 Layer-80x48x86cm, 3 Layer-60x40x86.5cm, 3 Layer-64x43x86.5cm, 3 Layer-77x45x86.5cm Weight: 8.8-15kg Note: Manual measurement, please allow 2-3cm error Package Including 1 X 2/3 Layer Laboratory Medical Vehicle	2 or 0 Marks		

124	<p>Warranty: Provide Warranty for at least 2 years from date of delivery for;</p> <ol style="list-style-type: none"> i. Laboratory timer; ii. Iodine Fuming Kit; LPF100 Iodine Fuming Kit iii. Dry-seal vacuum Desiccator iv. Large- Reusable Volumetric Pipets v. 25ml Glass Serological Pipettes vi. DWK Life Sciences Precision Bore Burets vii. Superwin Laboratory Stand Support viii. 12L Lab Autoclave, Portable Steam Autoclave ix. General Purpose Lab Thermometer x. Laboratory Test Sieves Stainless Steel xi. Manual Capsule Counter Count Board xii. Vernier Caliper Digital Micrometer xiii. Short Path Distillation 2L xiv. Culture Tube, Media xv. Anaerobic Culture Tank 3 Stacks of 12 Dishes xvi. Aneroid Sphygmomanometers, xvii. 3M Littmann Classic III Monitoring Stethoscope, xviii. Mini Fibre Otoscope xix. Clinical Thermometers (Standard) xx. 34 Pcs Advanced Biology Lab Anatomy Student Dissecting Dissection Kit Set xxi. 360 Stackable Stainless-Steel Dissecting Pan xxii. Portable Breathable Plastic cage xxiii. Fingertip Pulse Oximeter Blood Oxygen Saturation Monitor xxiv. ON CALL Blood Glucose Monitor Kit xxv. Double sided Fetoscopes Aluminum xxvi. Umbilical Cord Clamping Kit xxvii. portable Turbidity Meter xxviii. Micro haematocrit Reader xxix. ONiLAB Lab Micropipette xxx. Lab Single Channel Pipettor xxxi. Portable Laboratory Conductivity Meter xxxii. Infrared Thermometer Gun (LaserPro LP300) xxxiii. Blood roller mixer xxxiv. Digital Blood Pressure Machines xxxv. Mission plus Haemoglobin Testing Machine xxxvi. Scientific Eight Key Manual Differential Cell Counter, xxxvii. Micropipette xxxviii. Micropipette 100-1000ul xxxix. ONiLAB 50-200ul High-Accurate Single-Channel Manual Adjustable Variable Volume Pipettes xl. Melting Point Apparatus, xli. 2/3-Layer Lab Medical Cart Stainless Steel Rolling Cart <p>(1 Mark per catalog/brochure and manual provided for each requested item)</p>	41 Marks		
-----	---	-----------------	--	--

125	Indicate lead time for delivery of the items; a) Less than 4 weeks - (5 Marks) b) 5-6 weeks - (3 Marks) c) 7-8 weeks - (2 Marks) d) More than 8 weeks (1 Mark) e) Not Provided - (0 Marks)	5 Marks		
126	Provide proof of supply of medical-related items and accessories in the recent past (2018 to date) specifying the value (Attach purchase orders/contracts/invoices as proof) a) Orders below KES 5M – (2 Marks) b) Orders above KES 5M - but below KES 10M- (3 Marks) c) Orders above KES 10M - (5 Marks) d) Not Provided – (0 Marks)	5 Marks		
	Total Marks	323 Marks		
Only bidders who score at least 242 Marks and above shall proceed to the next stage of evaluation, the Financial review evaluation stage				

SECTION 4: Confidential Business Questionnaire

You are requested to give the particulars indicated in part 1 and either part 2(a), 2(b) or 2(c) whichever applies to your type of business.

Part 1 - General

Business Name: Location of Business premises: Country/Town..... Postal Address: Code: Town:
Tel No.: E-mail:
Fax: Nature of Business:
.....

Part 2 (a) – Individuals

Your Name in full: Nationality:
Country of Origin: Citizenship details

Part 2 (b) – Partnership

	Name:	Nationality:	Citizenship Details:	Shares
1.
2.
3.

Part 2 (c) – Registered Company

Private or Public:
.....

State the nominal and issue capital of the company:
.....
.....

Nominal KES:
.....

Issued KES:
.....

Give details of all directors as follows:

	Name:	Nationality:	Citizenship Details:	Shares
1.
2.
3.

SECTION 5: Tender Security Form

TENDER NO./AMREF/19/03/2025/002

SUPPLY, DELIVERY AND INSTALLATION OF LABORATORY APPARATUS – LOT 1

To: Amref Health Africa,

WHEREAS *[insert: name of Tenderer]* (hereinafter called “the Tenderer”) has submitted its tender dated *[insert: date of tender]* for the performance of the above-named Contract (hereinafter called “the Tender”)

KNOW ALL PERSONS by these present that WE *[insert: name of bank]* of *[insert: address of bank]* (hereinafter called “the Bank”) are bound unto *[insert: name of Purchaser]* (hereinafter called “the Purchaser”) in the sum of: *[insert: amount]*, for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents.

Sealed with the Common Seal of the said Bank this *[insert: number]* day of *[insert: month]*, *[insert: year]*.

THE CONDITIONS of this obligation are the following:

1. If, after the tender submission deadline, the Tenderer
 - i. withdraws its tender during the period of tender validity specified by the Tenderer in the Tender Form, or
 - ii. does not accept the Purchaser’s corrections of arithmetic errors in accordance with the Instructions to Tenderers; or
 - iii. does not at all reply to the Purchaser’s requests for clarification.

2. If the Tenderer, having been notified of the acceptance of its tender by the Purchaser during the period of tender validity
 - (a) fails or refuses to sign the Contract Agreement when required; or
 - (b) Fails or refuses to issue the performance security in accordance with the Instructions to Tenderers.

We undertake to pay to the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due it, owing to the occurrence of any one of the two above-named CONDITIONS, and specifying the occurred condition or conditions.

This guarantee will remain in full force up to and including **Monday, September 29 2025**, and any demand in respect thereof must reach the Bank not later than the above date.

Note: A bidder who withdraws its tender after the deadline for submission will forfeit its bid security deposit.

For and on behalf of the Bank

Signed: _____ Date: _____

SECTION 6: Manufacturers' Authorization Form

(Must be on the Manufacturer's or Producer's letterhead)

To: Amref Health Africa,
Opposite Langata Road Primary School,
P.O Box 30195-00100
Nairobi, Kenya.

Dear Sirs,

WHEREAS *[insert: **name of the Manufacturer or Producer**]* (hereinafter, "we" or "us") who are established and reputable manufacturers or producers of *[insert: **name and/or description of the Goods requiring this authorization**]* (hereinafter, "Goods") having production facilities at *[insert: **address of factory**]* do hereby authorize *[insert: **name and address of Tenderer**]* (hereinafter, the "Tenderer") to submit a tender, and subsequently negotiate and sign the Contract with you against *[insert: **the specific tender name and tender number**]* for supply of laboratory equipment, including the above Goods produced by us.

We hereby extend our full guarantee and warranty for the above-specified Goods against these tender documents.

For and on behalf of the Manufacturer or Producer:

Signed: _____

Date: _____

In the capacity of *[insert: **title, position, or other appropriate designation**]* and duly authorized to sign this Authorization on behalf of *[insert: **name of manufacturer or producer**]*

NOTE: Manufacturer's Authorization must be on LETTER HEAD and addressed to Amref Health Africa and must be specific to the tender and item and signed by an authorized signatory. -MANDATORY

SECTION 7: References

BANK REFERENCES	
BANK HOLDING MAIN ACCOUNT	
Bank name and address:	
Name of account:	
Account number:	How long open?

COMMERCIAL REFERENCES	
Provide names and contract details of two customers who may be approached to verify your capacity to perform against similar contracts.	
LOCAL/INTERNATIONAL TRADE REFERENCE – CUSTOMER 1	
Name and address:	
Activity:	Period of relationship:
Contact name:	Fax no.:
Telephone No.:	
LOCAL/INTERNATIONAL TRADE REFERENCE – CUSTOMER 2	
Name and address	
Activity:	Period of relationship:
Contact name:	Fax no.:
Telephone No.:	

SECTION 8: Delivery Schedule of Goods

DESCRIPTION	QTY	UOM	DELIVERY LOCATION
Supply, delivery and installation of laboratory apparatus.	LOT	1	Amref International University, Northlands Campus

Bidders are requested to quote and schedule delivery for all listed items in the specified quantities below.

<u>NO.</u>	<u>ITEM DESCRIPTION</u>	<u>UOM</u>	<u>QUANTITY</u>
1	<p><u>Laboratory Timer</u></p> <p>❖ Technical Specifications:</p> <ul style="list-style-type: none"> • Four Channel Timer/Clock • Independently or simultaneously set time on four channels • Audible and visual alarms signify elapsed time • Easily toggle between channels and clock with top buttons • Includes spring clip with magnetic back; 73 x 59 x 13 mm 	PIECES	20
2	<p><u>Handheld Magnifying Lens with Metal Handle</u></p> <p>❖ Technical Specifications:</p> <ul style="list-style-type: none"> • Magnification: 30x • Color: Black • Diameter: 1.57 inch (40 mm) • Lens Height: 1.2 inch (30 mm) • Lens Material: Optical glass • Length with Handle: 4.42 inch (12 cm) 	PIECES	15
3	<p><u>Uvex Stealth Safety Goggles with Clear Hydro Shield Anti-Fog Lens</u></p> <p>❖ Technical Specifications:</p> <ul style="list-style-type: none"> • White Body; Superior optics; impact-resistant frame and lens; • Wraparound toric lens for optimal viewing; Contemporary low-profile design with indirect venting; Soft, elastomer body • Quick-adjust headband in fabric or Neoprene; • Easy snap-on lens replacement • Meets ANSI Z87.1-2003 and CSA Z94.3 standards 	PIECES	25
4	<p><u>Iodine Fuming Kit; LPF100 Iodine Fuming Kit</u></p> <p>❖ Supplied with:</p> <ul style="list-style-type: none"> ➤ 8 - DF201 Fumette Disposable Iodine Fuming Guns ➤ 8 - DCA1 Iodine Print Enhancer Ampoules ➤ 2 - SP501 2" x 2" Silver Transfer Plates ➤ 1 - SP505 Silver Cleaner/Polish, 2 oz ➤ 1 - KCP226 Suction Cup Plate Holder ➤ 1 - LPF1001 Texturized, Molded-Plastic Carrying Case 	PIECES	1
5	<p><u>1000mL PYREX Class A Volumetric Flask</u></p> <p>❖ Supplied with:</p> <ul style="list-style-type: none"> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask. 	PIECES	5
6	<p><u>500mL PYREX Class A Volumetric Flask</u></p> <p>❖ Supplied with:</p> <ul style="list-style-type: none"> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask. 	PIECES	5
7	<p><u>250mL PYREX Class A Volumetric Flask</u></p> <p>❖ Supplied with:</p> <ul style="list-style-type: none"> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask. 	PIECES	6

8	<u>100mL PYREX Class A Volumetric Flask</u> ❖ <u>Supplied with:</u> ➤ with PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask.	PIECES	6
9	<u>50mL PYREX Class A Volumetric Flask</u> ❖ <u>Supplied with:</u> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask.	PIECES	6
10	<u>25mL PYREX Class A Volumetric Flask</u> ❖ <u>Supplied with:</u> ➤ PYREX Glass Standard Taper Stopper – Borosilicate Glass Flask.	PIECES	4
11	<u>Dry-seal vacuum Desiccator</u> ❖ <u>Supplied with:</u> ➤ cover knob SIZE 4 " & 5" borosilicate glass; Internal Diameter 300mm.	PIECES	2
12	<u>Large- Reusable Volumetric Pipets</u> , -Color-Coded, Colored Graduations, open tip.	PIECES	5
13	<u>25ml Glass Serological Pipettes</u>	PIECES	5
14	<u>DWK Life Sciences Precision Bore Burets</u> ❖ <u>Supplied with:</u> ➤ PTFE Stopcock; 50mls; Permanently marked with individual serial number; Borosilicate glass.	PIECES	6
15	<u>Ceramic Crucible 100GM</u>	PIECES	4
16	<u>Ceramic Crucible 250GM</u>	PIECES	4
17	<u>Crucible Tongs</u> , with Bow - 4" Capacity - Stainless Steel - Flat Ends - 8.25" in Length.	PIECES	8
18	<u>Buchner Funnel Kit Filter Flask SET</u> 080mm Funnel and 500ml Vacuum Flask.	PIECES	4
19	<u>500ml Plastic Graduated Cylinder</u> , Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific.	PIECES	10
20	<u>100ml Plastic Graduated Cylinder</u> , Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific.	PIECES	10
21	<u>1000ml Plastic Graduated Cylinder</u> , Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific.	PIECES	5
22	<u>10ml Plastic Graduated Cylinder</u> , Printed Graduations, Single Metric Scale, Polypropylene, Karter Scientific 23713.	PIECES	5
23	<u>Erlenmeyer Flask</u> , 50ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	PIECES	20
24	<u>Erlenmeyer Flask</u> , 1000ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	PIECES	15
25	<u>Erlenmeyer Flask</u> , 500ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	PIECES	20
26	<u>Erlenmeyer Flask</u> , 250ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	PIECES	20
27	<u>Erlenmeyer Flask</u> , 25ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	PIECES	5
28	<u>Erlenmeyer Flask</u> , 100ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	PIECES	10
29	<u>Erlenmeyer Flask</u> , 2000ML Borosilicate Glass Conical Flasks with Narrow Mouth, Printed Scale.	PIECES	3

30	1000ML Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	PIECES	4
31	500ML Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	PIECES	4
32	250ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	PIECES	4
33	100ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout.	PIECES	4
34	Pyrex GLASS BEAKERS 50ML	PIECES	3
35	25ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout	PIECES	5
36	5ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout	PIECES	5
37	10ml Low Form Glass Beaker , 3.3 Borosilicate Glass Graduated Printed Scale Measuring Cups with Spout	PIECES	5
38	Glass Stirring Rods Stir Stick with Both Round Ends 12 Inch Long 7 mm Diameter and 6 Inch Long 5 mm Diameter	PIECES	6
39	Flat Top Triangular Tripod Stand ; A mild steel tripod stand with a flat triangular top and plastic feet; Length of side: 125mm; Height: 200mm	PIECES	10
40	Superwin Laboratory Stand Support , Chemistry Test Tube Holder, Lab Table Clamp Stand W/ Burette Clamp And Flask Ring Clamps (16IN), 16-ST	PIECES	10
41	PYREX® 500 mL Cylindrical Separatory Funnel , Graduated, PTFE Product Standard Stopcock, Glass Standard Taper Stopper	PIECES	10
42	Test Tube Rack with 6 Draining Pins - Accommodates 13 Tubes, up to 25mm - 10.25" Wide, 8" Tall	PIECES	6
43	Borosilicate 15 ml TEST TUBES	PIECES	30
44	Centrifuge tube , 15 mL, 17x120 mm, conical (V) bottom, w/ graduation, I.D. field 15ml Plastic Centrifuge Tubes with Screw Cap, CertBuy 50 Pack Self-Standing Plastic 15ml Test Tube Polypropylene Conical Tubes with Cap, Graduated Marks 17x120 mm, conical (V) bottom, I.D. field	PIECES	50
45	50ml Plastic Centrifuge Tubes with Screw Cap, CertBuy 50 Pack Self-Standing Plastic 50ml Test Tube Polypropylene Conical Tubes with Cap, Graduated Marks	PIECES	50
46	Lab Bunsen Burner , Air & Gas Adjustment with Flame Stabilizer for Natural Gas & Propane with heavy duty GAS PIPES 6MM (1M); Base diameter - 7.8cm/3.07in, height - 17.5cm/6.89in Materail: Zinc alloy base & copper tube, Weight: Approx. 224g.	PIECES	15
47	ASBESTOS WIRE GAUZE Squares , 5x5" - 3" WITH Ceramic Center	PIECES	10
48	Nessler Cylinder, 100ml - Class A - Borosilicate Glass - Blue, Ceramic Graduations	PIECES	6
49	White Porcelain , ceramic MORTAR & PESTLES (ceramic) 250ml	PIECES	5
50	White Porcelain , ceramic MORTAR & PESTLES (ceramic) 500ml	PIECES	5
51	White Porcelain , ceramic MORTAR & PESTLES (ceramic) 1000ml	PIECES	3
52	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 50 mL	PIECES	10
53	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 25 mL	PIECES	10

54	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 500 mL	PIECES	10
55	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 50 mL	PIECES	10
56	Graduated Glass Round Media Storage Bottle with blue GL45 Screw Cap, 3.3 Borosilicate Clear Glass, Wide Mouth Lab Reagent Bottle, 100 mL	PIECES	10
57	100ml Dropper Bottles with Glass Pipettes(100ml)	PIECES	5
58	500ml Dropper Bottles with Glass Pipettes(100ml)	PIECES	5
59	Heavy Wall Funnel Borosilicate Glass Funnel , Short Stem 50mm Diameter, 50mm Stem Length	PIECES	4
60	Micro Spatula Spoon , 5.9", Stainless Steel, Polished, One 0.2" Flat End, One 0.2" Scoop End	PIECES	6
61	Spatula Spoons , 9", Stainless Steel, Polished, One 0.3" Flat End, One 0.5" Scoop End	PIECES	6
62	Stainless Steel Double-Ended Spatula , Flat, Round Tip/Square Ends, 12", each	PIECES	6
63	Stainless Steel Spatula , Both Ends Flat, 6"	PIECES	6
64	Combination Spatula , Spoon and Scoop, Stainless Steel	PIECES	6
65	12L Lab Autoclave , Portable Steam Autoclave; Voltage: AC110V/50HZ. Rated Working Pressure: 0.10~0.14MPa (15~20 psi). Rated Working Temperature: 121~126°C (259~264°F)	PIECES	2
66	Evaporating Dish High-Temperature Resist Porcelain 150ml Round Form with Spout	PIECES	5
67	Evaporating Dish High-Temperature Resist Porcelain 250ml Round Form with Spout	PIECES	5
68	Evaporating Dish High-Temperature Resist Porcelain 500ml Round Form with Spout	PIECES	5
69	General Purpose Lab Thermometer 12 Inch Total Immersion Glass Liquid -20 to 150°C Liquid in Glass Thermometer	PIECES	10
70	Laboratory Test Sieves Stainless Steel - (DRY & WET TYPE) ❖ Technical Specifications: <ul style="list-style-type: none"> • Sieve Diameter: 200 mm, 400 mm • Sieve Depth H1: 32, 50 or 65 mm • Woven Wire Cloth: 30 µm to 11,2 mm (Stainless Steel) • Round Apertures: 0,5 to 125 mm (Stainless Steel) • Square Apertures: 4,0 to 125 mm (Stainless Steel) 	PIECES	1
71	Plastic Tablet counter with clear printed counting scale Triangular 230 x 205mm; White; Marked to 15 rows / 120 tablets	PIECES	3
72	Manual Capsule Counter Count Board 60C Size 0#~1# (0#~1#, 60) Plastic Special Feature Sturdy, Compact, Adjustable	PIECES	3
73	Digital Caliper Measuring Tool , Stainless Steel Vernier Caliper Digital Micrometer with Large LCD Screen, Easy Switch from Inch Metric Fraction, 6 Inch Caliper Tool	PIECES	10
74	100mm Glass Petri Dish with Lids High Borosilicate Glass Petri Dishes Bacterial Culture Dishes	PIECES	20
75	Short Path Distillation 2L , 2L Short Path with Cold Trap and 110V	PIECES	2

	Stirring Heating Mantle		
76	250ml Plastic Safety Wash Bottle , Plastic Squeeze Bottle Narrow Mouth	PIECES	20
77	500ML Plastic Safety Wash Bottle , Plastic Squeeze Bottle Narrow Mouth	PIECES	20
78	Culture Tube , Media – Round Bottom, with PTFE liner & Rubber liner Screw Cap; borosilicate glass	PIECES	30
79	PLATINUM WIRES with HOLDERS length 200mm, looped	PIECES	6
80	Microorganism General Science Charts (BACTERIA, VIRUSES, PROTOZOA -DIMENSIONS 18 x 24 in. (45.7 x 70cm)	PIECES	6
81	Aluminium Staining Rack ❖ Technical Specifications: <ul style="list-style-type: none"> • HANDLE Made of aluminum. Collapsible handles on both sides. • Fits up to 25 slides. • Horizontal slide fit. • Features an open bottom for draining. 	PIECES	1
82	Plastic Spirit Bottles LDPE TRANSLUSCENT Plastic SPIRIT BOTTLES With narrow neck and covers 500ml	PIECES	4
83	Anaerobic Culture Tank 3 Stacks of 12 Dishes Dia 9-10cm	PIECES	4
84	Aneroid Sphygmomanometers , - Blood Pressure Cuff with D-Ring Universal Cuff 10-16", with Carrying Bag	PIECES	2
85	3M Littmann Classic III Monitoring Stethoscope , 5620, Stainless Steel Chestpiece, 27" Black Tube	PIECES	3
86	Mini Fibre Otoscope (Auriscopes) ❖ Technical Specifications: <ul style="list-style-type: none"> • New improved switch and bayonet fitting for more secure attachment of specula, Fibre optic • Bright 2.5 Volt F.O. Light G108 • Battery handle (2 x AA size batteries) • Plastic tube with reusable ear specula • Also fits Heine disposable tips 	PIECES	4
87	Snellen Chart ; Wall Chart, Eye Charts for Eye Exams 20 feet 11 X 22 in.	PIECES	2
88	Ground edge microscope slides	Packets	20
89	Frosted end Microscope Slides	Packets	20
90	20mm x 20mm Microscope Cover Slips Glasses	Packs	6
91	Clinical Thermometers (Standard) ❖ Technical Specifications: <ul style="list-style-type: none"> • Glass and mercury free. • Digital, electronic version. • Temperature measurement range 32 – 43 °C (minimum guaranteed). • Accuracy ± 0.1°C in the range 35 – 41 °C. • Graduation 0.3°C or better. • Ready-to-use after switch-on within 10 s. • Measurement time: within 120 seconds. • Low and high temperature indication. • Display easy to read in all levels of ambient light. 	PIECES	4

	<ul style="list-style-type: none"> • Automatic switch-off when not in use. • Beep audio alert when device is turned on/ready to use or when temperature measurement is complete. • Low battery indicator. • Full batteries allow for a minimum of 4,000 measurements. • Waterproof. • Designed to withstand frequent cleaning and disinfection with hospital-grade products. • Battery powered, 		
92	<p><u>34 Pcs Advanced Biology Lab Anatomy Student Dissecting Dissection Kit Set</u> with Scalpel Knife Handle Scalpel Blades (All in One with Zipper Case) Blades</p> <ul style="list-style-type: none"> • 1 Ea 5" Scalpel Knife Handle #4 • 1 Ea 5" Scalpel Handle #3 • 1 Ea 5" Teaser Needle - Straight Point • 1 Ea 5" Teaser Needle - Curved Point • 1 Ea 5.6" Operating Scissors • 1 Ea 4.6" Iris Scissors • 1 Ea 5" Needle Driver • 1 Ea 5" Mosquito Forceps • 1 Ea 5" Wide Body Tooth Tissue Forceps, • 1 Ea 5" Specimen Serrated Forceps • 1 Ea 4.5" Micro Forceps • 1 Ea 5.6" Groove Detector • 1 Ea 5.5" Dissecting Spatula • 1 Ea 3.5" Magnifying Glass (Plastic Handle) • 1 Premium Quality Carrying Case • 10 - Disposable Scalpel Blades #20 For Handle #4, • 10 - Disposable Scalpel Blades #11 For Handle #3. 	PIECES	1
93	<u>360 Stackable Stainless-Steel Dissecting Pan</u> with Self-Healing Plastisol Liner, 11" L x 7" W x 1.5" D, Durable Lab Dissection Tray	PIECES	2
94	<u>Intravenous CANNULAS G20, G18, & G24 (PINK, GREEN AND YELLOW)</u>	PIECES	6
95	<u>Portable Breathable Plastic cage</u>	PIECES	2
96	<u>Portable Breathable Animal Holding Box Cage</u> White Material ; Polypropylene & SS 304	PIECES	2
97	<u>Fingertip Pulse Oximeter Blood Oxygen Saturation Monitor</u> with Batteries Included	PIECES	5
98	<u>ON CALL Blood Glucose Monitor Kit</u> with 100 Blood Sugar Test Strips, 100 Lancets, 1 Blood Glucose Meter, 1 Lancing Device, 1 Control Solution, Travel Case	PIECES	5
99	<u>Double sided Fetoscopes Aluminium</u>	PIECES	4
100	<u>Umbilical Cord Clamping Kit</u>	PIECES	3
101	<u>portable Turbidity Meter</u> with 4 AA alkaline batteries, a carrying case with insert, primary calibration standards in 1" sealed vials (20, 100, 800 NTU), 10 NTU primary verification standard, 6 sample cells with screw-tops, instrument manual (printed and CD-ROM), quick start guide, silicone oil and oiling cloth.	PIECES	2
102	Micro haematocrit Reader 75mm	PIECES	1

103	ONiLAB Lab Micropipette , Adjustable Volume Single Channel Pipettors,100-1000ul	PIECES	5
104	Lab Single Channel Pipettor Adjustable Variable Volume,1-10ml High Accurate Micropipette for Laboratory	PIECES	1
105	<p>Universal First Aid Kit 25x16x7cm, waterproof outer cover material</p> <p>❖ <u>Supplied with:</u></p> <ul style="list-style-type: none"> • 2x Elastic Bandages, 6cm x 4m • 3x Elastic Bandages, 8cm x 4m • 2x Triangular Bandages, 96 x 96 x 136cm • 4x Disposable Gloves, Large • 1x Rescue Sheet, Silver/Gold, 210 x 160cm • 1x First Aid Scissor, 14.5cm • 1x Instruction Book for First Aid • 1x Adhesive Plaster, Rigid, 2.5cm x 5m • 8x Wound Plasters, Elastic, 10 x 6cm • 3x First Aid Packets, Sterile, 8 x 10cm • 1x First Aid Packet, Sterile, 10 x 12cm • 2x First Aid Dressings, Sterile, 40 x 60cm • 1x First Aid Dressing, Sterile, 60 x 80cm • 6x Wound Dressings, Sterile, 10 x 10cm 	PIECES	4
106	<p>Portable Laboratory Conductivity Meter</p> <p>Conductivity 0 to 19.99μS, 0 to 199.9μS, 0 to 1999μS, 0 to 19.99mS, 0 to 199.9mS, 0 to 1999mS</p> <p>Resolution 0.01μS, 0.1μS, 1μS, 0.01mS, 0.1mS, 1mS*</p> <p>Accuracy \pm0.5% \pm2 digits</p> <p>TDS ranges 0 to 19.99mg/l, 0 to 199.9mg/l, 0 to 1999mg/l, 0 to 19.99g/l, 0 to 199.9g/l, 0 to 1999g/l</p> <p>Resolution 0.01mg/l, 0.1mg/l, 1mg/l, 0.01g/l, 0.1g/l, 1g/l* *only with cell constant >5</p> <p>Accuracy \pm0.5% \pm2 digits</p> <p>Temperature ranges 10 to +105°C / 14 to 221°F</p> <p>Resolution 0.1°C / 1°F</p> <p>Accuracy \pm0.5°C / \pm1°F</p> <p>ATC range 0 to 100°C / 32 to 212°F</p> <p>Manual temp. comp. 0 to 100°C / 32 to 212°F</p> <p>Cell constant 0.010 to 19.999</p> <p>Temperature coeff. 0.00% to 4.00%</p> <p>Reference temp. 18, 20 25°C, default 25°C</p> <p>EC ratio (cond. to TDS factor) 0.50 to 0.80, default 0.6</p> <p>Auto standard recognition 10μS, 84μS, 1413μS, 12.88mS</p> <p>Outputs Analogue 1mV per digit / RS232</p> <p>Display Custom back lit LCD</p> <p>Power Power supply 9V a.c.</p> <p>Size 250(l) x 210(w) x 55(d) mm</p> <p>Weight 850g</p>	PIECES	2

107	<u>Mid Upper Arm Circumference (MUAC) measuring tape ADULT Multicolor</u> <ul style="list-style-type: none"> • Blade Length - 56 Centimeters • Measurement Accuracy - 1.0 mm • Case Material - Polyethylene 	PIECES	6
108	<u>Mid Upper Arm Circumference (MUAC) measuring tape CHILD</u> <ul style="list-style-type: none"> • 2.28 x 2.2 x 1.25 inches; 0.63 ounces Blade Length - 26 Centimeters 	PIECES	6
109	<u>Infrared Thermometer Gun (LaserPro LP300)</u> - Handheld Surface Thermometer	PIECES	2
110	<u>Pen Torch LED Portable;</u> Lightweight, Small Bright Pen Flashlight with Clip, Waterproof	PIECES	2
111	<u>Biohazard Waste 20L Medical Pedal Dustbin</u> - BLACK	PIECES	1
112	<u>Biohazard Waste 20L Medical Pedal Dustbin</u> - RED	PIECES	1
113	<u>Biohazard Waste 20L Medical Pedal Dustbin</u> - Yellow	PIECES	2
114	<u>Blood roller mixer-</u> BBRM 101 Blood Mixer 4 Roller	PIECES	1
115	<u>Digital Blood Pressure Machines</u> - OMRON M4 Blood Pressure Monitor	PIECES	3
116	<u>Mission plus Haemoglobin Testing Machine</u> Haemoglobin Analyser for blood Haemoglobin determinations	PIECES	1
117	<u>Scientific Eight Key Manual Differential Cell Counter,</u> standard stainless steel; DESCO	PIECES	1
118	Micropipette - Single Channel Pipette Compatible with Microlit 10ml Pipette Tips, Adjustable Volume Lab Pipette, Accurate and Calibrated Pipette (1-10ml)	PIECES	4
119	<u>Micropipette 100-1000ul,</u> Adjustable Pipettor for Laboratory, Single Channel Lab Pipette,Half-Autoclavable	PIECES	4
120	<u>ONiLAB 50-200ul High-Accurate Single-Channel Manual Adjustable Variable Volume Pipettes,</u>	PIECES	2
121	<u>Melting Point Apparatus,</u> ❖ Technical Specifications: <ul style="list-style-type: none"> • DIGITAL Number of Samples: 2 • Temperature Range: Ambient to 300°C • Temperature Accuracy: ±1.0°C at 20°C at 300°C • Display: Four Digit LED • Display Resolution: 0.1°C • Display Hold Function: YES • Ramp Rates: <ul style="list-style-type: none"> ➢ 20° per Minute to Plateau ➢ Variable from 1 and 10° to Melt • Dimensions: 160 x 220 x 170mm • Weight: 1.8Kg • Electrical: 120 Volt, 75 Watt 	PIECES	1
122	<u>2/3-Layer Lab Medical Cart Stainless Steel Rolling Cart Lab Medical Equipment Cart Trolley,</u> with Non-Slip 360° Mute Wheel, Max Load 100kg (Battery *1 : 2 Layer-80x48x86cm) U-shaped Handrail, Moveable & Lock: Adopt 4pcs 360° Rolling Wheels, 2 Of Which Has Foot Brakes, Color: Silver Material: Stainless steel Number of Floors: 2/3 Wheels: Omnidirectional, Lockable	PIECES	2

	<p>Product Size (L * W * H): 2 Layer-60x40x86cm , 2 Layer-66x44x86cm , 2 Layer-80x48x86cm , 3 Layer-60x40x86.5cm , 3 Layer-64x43x86.5cm , 3 Layer-77x45x86.5cm</p> <p>Weight: 8.8-15kg</p> <p>Note: Manual measurement, please allow 2-3cm error</p> <p>Package Including</p> <p>1 X 2/3 Layer Laboratory Medical Vehicle</p>		
--	---	--	--

PART B: FINANCIAL REQUIREMENTS

PLEASE PROVIDE THIS IN A DIFFERENT ENVELOPE [The financial bid **MUST** be in a separate envelope marked with the tender reference number, tender name, vendor's name and vendor's contact details. The financial bid will only be opened for those bidders who will have qualified in the technical evaluation]

SECTION 1: Price Schedule

BIDDERS NAME	SPECIFICATIONS	TENDER NUMBER	QTY	UNIT PRICE	16% VAT	TOTAL	REMARKS
TOTAL PRICE							

SECTION 2: Delivery Leadtime

BIDDERS NAME	SPECIFICATIONS	TENDER NUMBER	QTY	DELIVERY LEAD TIME	REMARKS
TOTAL					

Note. In case of a discrepancy between the unit price and the total, the unit price shall prevail.

Currency:	Grand Total Bid Price:	Amount in Figures:
		Amount in Words:
Bidder's Name and Address:	Date	Signature and Stamp:

Note: Indicate the breakdown of all taxes applicable.

DECLARATION

I/We have completed this form (s) accurately at the time of reply and it is agreed that all responses can be substantiated, if requested to do so, and that any inaccuracy in the information filled herein will lead to disqualification of the tenderer.

For and on behalf of:

.....

Name:

.....

Date:

.....

Signature:

.....

ANNEX 1: STAGES OF TENDER

PART A

a) Preliminary Evaluation

Tenderers are required to comply with mandatory requirements

- ✓ Bidders who shall not provide any of the documents shall be considered non-responsive and shall not proceed to the next stage(s) of evaluation

b) Technical Evaluation

i. Documents Examination

- ✓ Bidders who will not meet the pass mark(s) as specified shall be considered non-responsive and shall not proceed to the next stage(s) of evaluation

ii. Product Evaluation

- ✓ The technical evaluation shall involve the product evaluation and or samples where applicable

PART B

a) Financial Evaluation & Delivery lead time evaluation

- ✓ Tenderers who are successful at the proceeding stages shall have their prices and delivery period compared and award recommended to the lowest evaluated responsive bid.

b) Contracting

- ✓ If accepting the offer, the successful bidder shall be contracted per the sample standard agreement accessible on the Amref website.