TENDER DOCUMENT

SUPPLY, DELIVERY AND INSTALLATION OF VARIOUS LABORATORY EQUIPMENT FOR AMREF INTERNATIONAL UNIVERSITY, NORTHLANDS CAMPUS.

TENDER NO./AMIU/19/03/2025/001

AMREF HEALTH AFRICA IN KENYA

LOT NUMBER THREE (3)

Table of Contents

PART A: TECHNICAL REQUIREMENTS 2
SECTION 1: Invitation to Tender 2
SECTION 2: Instructions to Tenderers 4
2.1 Eligible Tenderers 4
2.2 Cost of tendering 4
2.3 Specific Instructions 4
2.4 Amendment of documents 4
2.5 Tender Prices and Currencies 5
2.6 Validity of Tenders 5
2.7 Sealing and Marking of Tenders 5
2.8 Deadline for Submission of Tenders 5
2.9 Modification of Tenders 5
2.10 Withdrawals of Tender 5
2.11 Opening of Tenders 6
2.12 Clarification of Tenders 6
2.13 Evaluation and Comparison of Tenders 6
2.14 Notification of Award 6
2.15 Appeal Period 6
2.16 Contacting Amref Health Africa 6
2.17 Leadtime and Delivery Details 7
SECTION 3: Eligibility Requirements and Technical Specifications 8
a) Preliminary Evaluation Criteria 8
b) Technical evaluation criteria 9
SECTION 4: Confidential Business Questionnaire 17
SECTION 5: Tender Security Form 18
SECTION 6: Manufacturers' Authorization Form 19
SECTION 7: References 20
SECTION 8: Delivery Schedule of Goods 21
PART B: FINANCIAL REQUIREMENTS 26
SECTION 1: Price Schedule 26
SECTION 2: Delivery Leadtime 26
DECLARATION 27
DELIVERY COMMITMENT FORM 28
ANNEX 1: STAGES OF TENDER 29

PART A: TECHNICAL REQUIREMENTS

SECTION 1: Invitation to Tender

1. Amref Health Africa invites sealed bids from eligible candidates for the supply, delivery and installation of various laboratory equipment as per the lots listed below;

Lot	Description	Qty	UOM	Delivery Location
1	Supply, delivery and installation of laboratory apparatus.	LOT	1	Amref International University, Northlands Campus
2	Supply, delivery and installation of laboratory equipment.	LOT	1	Amref International University, Northlands Campus
3	Supply, delivery and installation of physiotherapy laboratory equipment.	LOT	1	Amref International University, Northlands Campus
4	Supply, delivery and installation of nursing simulations and skills laboratory equipment.	LOT	1	Amref International University, Northlands Campus

2. **This tender document is only for Lot Number Three (3).**

3. Interested eligible bidders may obtain further information from the Amref Health Africa website www.amref.org and the Amref International University website www.amref.ac.ke

4. Complete sets of tender documents can be downloaded from Amref Health Africa website; http://amref.org/tenders/ or the Amref International University website https://amref.ac.ke/tenders/ by interested bidders upon payment of a non-refundable fee of **Ksh.2,000 PER LOT**. The payment should be made through the following Bank account(s): **National Bank of Kenya Account No.: 01020058330100**, **Wilson Branch,** or through **MPESA Paybill No.: 000557 Account No.: LAB-EQUIPMENT**

   Note: Amref Health Africa will not issue an eTIMS receipt for payment made.

5. Candidates will then attach a copy of the mobile money receipt or the original banking deposit slip to the tender documents as proof of purchase of the tender document.

6. Completed tender documents for preliminary and technical requirements are to be enclosed in a plain envelope marked with the tender reference number and tender name. **The financial bid MUST be in a separate envelope marked with the tender reference number, tender name, vendor name and vendor contact details. The financial bid will only be opened for those bidders who will have qualified in the technical evaluation**. **Please note that only one complete tender document per lot is required (Do not provide additional copies per lot).**

7. Tenders must be delivered to the address below no later than **Wednesday 2nd April 2025** at **12.00 noon** and must be accompanied by a tender security of **KES 169,000** in the Currency specified in the tender document in the form of a bank guarantee from a reputable bank and must be delivered with the Tender Documents in the technical bid, **(bid bonds from insurance companies will NOT be accepted)**. The tender security validity period from the

date of closing tender should also be indicated.

8. Interested eligible bidders are also invited to a virtual pre-tender conference to be held on **Friday 21st March 2025** starting at **11:00 AM**.

   Register in advance for this meeting through the link below:
   https://amref.zoom.us/meeting/register/FOcRLvcgTOmwi4FMeroqEQ

   After registering, you will receive a confirmation email containing information about joining the meeting.

9. Completed Tender Documents are to be enclosed in a plain sealed envelope(s) clearly marked with the tender name and tender reference number and should be addressed to the following address:

   Group Financial Resources Director
   Amref Health Africa
   P.O. Box 30125-00100,
   NAIROBI

10. Tender Documents should be received on or before **Wednesday 2nd April 2025** at **12 noon** at the **Amref International University - Tender Box** at the **Main Reception** along **Langata Rd Opposite Wilson Airport**. Electronic bidding will not be permitted. Late tenders will be rejected. Tenders will be opened immediately thereafter in the presence of the Tenderers' representatives who choose to attend the tender opening ceremony at Amref International University.

11. Bidders **MUST** submit full names and National ID numbers of Tenderers' representatives who wish to attend the tender opening to Tender.Kenya@amref.org with the subject '**Supply and Delivery of Laboratory Equipment'** by **Wednesday 2nd April 2025** at **10:00 AM.** Representatives will be required to present a National ID for identification. Representatives who would not have submitted their names and National ID numbers in advance will not be allowed to attend the tender opening.

12. Prices quoted should be inclusive of VAT and all other applicable taxes and must be in Kenya Shillings and shall remain valid for 90 days from the closing date of the tender. The prices in your financial quotation should be broken down as follows: (Do not key in your financial quotation in this section)

    (i) Unit price
    (ii) 16% VAT
    (iii) Other applicable taxes
    (iv) Transport Cost if applicable
    (v) TOTAL COST

SECTION 2: Instructions to Tenderers

2.1 Eligible Tenderers

2.1.1 This Invitation for Tender is open to all eligible bidders.

2.1.2 Tenderers shall not be under a declaration of ineligibility for corrupt or fraudulent practices.

2.2 Cost of tendering

2.2.1 The tenderer shall bear all costs associated with the preparation and submission of its bid. Amref Health Africa or its agents, will under no circumstance be responsible or liable for those costs regardless of the conduct or outcome of the tendering process.

2.3 Specific Instructions

2.3.1 Bidders must quote for all items and quantities as indicated as indicated in the tender document in order to qualify for evaluation.

2.3.2 The final bound tender document must be serially paginated (All pages in the document from the top page (immediately after the top cover) to the last page (one before the back cover) including table of contents, separators, brochures, bank deposit slip and any other attachments) in a continuous ascending order from the first page to the last in this format; 1,2,3……n where n is the last numerical page number.

2.3.3 Should the reverse side of any leaf have content, it will also be considered as a page and must also be paginated.

2.3.4 Any alterations to the page numbering in the bid document must be clearly countersigned by the bidder. Failure to countersign such modifications shall render the bid non-compliant with the pagination requirement clause 2.3.2.

2.3.5 Any secondary attachment to a page (such as bank deposit slips/receipts etc.) should be glued onto that page. Stapling of secondary attachments is not allowed and may render your bid non-responsive.

2.3.6 Bids will be evaluated on a lot-by-lot basis

2.3.7 The submitted tender document including brochures and any other attachments shall be written in English.

2.3.8 Amref effectively checks the validity of the CE certificates (or equivalent documents such as ISO certificates) with issuing authorities and bidders are fully expected to do the same before submission.

2.3.9 Bidders shall be required to ensure that all applicable equipment is registered with the Pharmacy and Poisons Board of Kenya upon importation, where such registration is required by law. Equipment not subject to registration under the applicable regulations is exempt from this requirement.

2.4 Amendment of documents

2.4.1 At any time prior to the deadline for submission of tenders, Amref Health Africa for any reason, whether at its initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendments.

2.4.2 All prospective candidates who have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.

2.4.3 In order to allow prospective tenderers reasonable time in which to take the amendment into

account in preparing their tenders, Amref Health Africa at its discretion may extend the deadline for the submission of tenders.

2.5 Tender Prices and Currencies

2.5.1 The tenderer shall indicate on the appropriate Price Schedule, the unit prices inclusive of all taxes and the total tender price of the items proposed to be purchased under the contract.

2.5.2 Prices quoted by the tenderer shall be fixed during the tender validity period and not subjected to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected.

2.5.3 The price quoted shall be in **Kenya Shillings**.

2.6 Validity of Tenders

2.6.1 Tenders shall remain valid for 90 days after the date of tender opening prescribed by Amref Health Africa, pursuant to paragraph 2.10. Tenders valid for a shorter period shall be rejected by Amref Health Africa as non-responsive.

2.6.2 In exceptional circumstances, Amref Health Africa may solicit the tenderers' consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tenderer may refuse the request. A tenderer granting the request will not be required nor permitted to modify its tender.

2.7 Sealing and Marking of Tenders

2.7.1 The tenderer shall seal the tender and mark it with the tender reference number and tender name and **"DO NOT OPEN BEFORE 12 NOON** on **Wednesday 2nd April 2025"**

2.8 Deadline for Submission of Tenders

2.8.1 Tenders must be received by Amref Health Africa at the address specified not later than **12 noon,** on **Wednesday 2nd April 2025.**

2.9 Modification of Tenders

2.9.1 The tenderer may modify or withdraw its tender after the tender's submission provided that written notice of the modification, including substitution of withdrawal of the tenders, is received by Amref Health Africa prior to the deadline prescribed for submission of tenders.

2.9.2 The tenderer modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.10:1. A withdrawal notice may be sent by email but followed by a signed confirmation copy, postmarked no later than the deadline for submission of tender

2.9.3 No tenderer may be contacted after the deadline for submission of tenders.

2.10 Withdrawals of Tender

2.10.1 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer.

2.10.2 A bidder who withdraws its tender after the deadline for submission will forfeit its bid security deposit.

2.11 Opening of Tenders

2.11.1 Amref Health Africa will open all tenders in the presence of tenderers' representatives who choose to attend the tender opening ceremony at **12 noon,** on **Wednesday 2nd April 2025** in the location specified in the tender. The tenderers or representatives who are present shall sign a register evidencing their attendance.

2.11.2 The tenderers' names, tender modifications or withdrawals, and the presence or absence of requisite tender security and such other details as Amref Health Africa, at its discretion may consider appropriate, will be announced at the opening.

2.11.3 Amref Health Africa will prepare a tender opening report.

2.12 Clarification of Tenders

2.12.1 To assist in the examination, evaluation and comparison of tenders Amref Health Africa, at its discretion, may ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or Substance of the tender shall be sought, offered, or permitted.

2.12.2 Any effort by the tenderer to influence Amref Health Africa in the tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderer's tender.

2.13 Evaluation and Comparison of Tenders

2.13.1 Amref Health Africa will examine the tenders to determine whether they are complete, whether any computation errors have been made, whether required securities/tender purchases have been furnished, whether documents have been properly signed and whether the tenders are generally in order. After examination, a tender that will be determined to be substantially non-responsive will be rejected by Amref Health Africa.

2.13.2 Amref Health Africa will evaluate and compare the tenders, which have been determined to be substantially responsive.

2.13.3 Amref Health Africa will notify bidders who will be required to provide samples in good time with specific sample submission details following the **finalization of the preliminary evaluation**.

2.13.4 Amref Health Africa will ensure that the submitted samples are catalogued accordingly and correspond to the assigned bid number(s). The tenderers should ensure that all their samples have been captured correctly.

2.14 Notification of Award

2.14.1 Prior to the expiration of the period of tender validity, Amref Health Africa will notify the successful tenderer in writing that the tender has been accepted.

2.14.2 Simultaneously the other tenderers shall be notified that their tenders have been unsuccessful.

2.15 Appeal Period

2.15.1 Any vendor/service provider who wishes to appeal against the outcome of the tender shall do so in writing within 3 working days of the date of the notification/regret letter. Any letter received after the third day shall not be responded to and shall be treated as null and void. Amref Health Africa shall have dispensed with this procurement.

2.16 Contacting Amref Health Africa

2.16.1 No tenderer shall contact Amref Health Africa on any matter relating to its tender, from the time of the tender opening to the time the contract is awarded.

2.16.2 Any effort by a tenderer to influence Amref Health Africa in its decisions on tender evaluation, tender evaluation committee, or contract award will result in the rejection of the tenderer's tender.

2.17 Leadtime and Delivery Details

2.17.1 The supplier should be able to deliver the items they have quoted for as specified in this tender document.

2.17.2 The supplier should include delivery schedule with lead times.

2.17.3 On arrival the supplies should be free from damage. The supplier shall be liable for all losses due to insufficient of unsuitable packing and delivery arrangements, and shall be liable for the cost of returning any unacceptable supplies.

2.17.4 The supplies must be free from objectionable matter and any substances that would represent a hazard to health.

SECTION 3: Eligibility Requirements and Technical Specifications

a) Preliminary Evaluation Criteria

Bids will be evaluated based on the below criteria.

Bids **lacking any of the documents** below will be considered non-responsive and therefore will be eliminated at this stage.

PRELIMINARY EVALUATION OF MANDATORY REQUIREMENTS

No.	Particulars	Marks	Bidders Score	Remarks
1.	Provide a copy of the Certificate of Incorporation/Certificate of Registration.	1 or 0		
2.	Provide a copy of a valid KRA Tax Compliance Certificate.	1 or 0		
3.	Attach mobile money deposit receipt/banking deposit slip as proof of purchase of the tender document. ***(If applying for more than one LOT, you need to provide specific payment for each LOT).***	1 or 0		
4.	Provide a copy of the Valid Business Trading License.	1 or 0		
5.	Submit a current CR12 from the Registrar of Companies **(*generated not earlier than January 2024)*** or copies of identification cards for Sole Proprietors/Partnerships.	1 or 0		
6.	Provide tender security from a reputable bank amounting to **KES 169,000** ***(Original Tender security must be attached)*** valid until **Monday, September 29, 2025**	1 or 0		
7.	Provide the Manufacturer's Certificate (*if bidding as the manufacturer*) or Manufacturer's Authorization Form/Certificate (*if not the manufacturer*).	1 or 0		
8.	Must submit copies of the most recent 2 sequential audited financial reports (from 2021) and each must be signed and dated by the auditor and the firms' Directors. ***(Both reports must have an unqualified/ unmodified auditor's opinion).***	1 or 0		
9.	**ENSURE** that all pages are sequentially paginated in format 1,2,3…. starting with 1 on the top page ***(see details of pagination and binding in sections 2.3.2, 2.3.3, 2.3.4 and 2.3.5 of the tender document).***	1 or 0		
Bids missing any of the above mandatory decrements/requirements numbered 1 to 9 will be considered non-responsive and therefore will be eliminated at this stage				

NOTE:

- **All the above documents numbered 1 to 9 should be packaged and arranged in that order under the preliminary evaluation criteria section of the tender document.**
- **The completed tender documents should be bound by tape. Spiral binding is discouraged.**

b) Technical evaluation criteria

No.	Detailed technical Specifications/Description of requirements	Marks	Score	Remarks
1.	**Must provide catalog/brochures detailing the specifications for each of the items below;** 1. Treadmill 2. Intenza 550E Series Elliptical 3. Self -Power Generator Motor, Motorized Adjustable Workout Tension with Different Fitness Levels (Flywheel 8kg). 4. Origin Dual range pulley 100kg to 5kg stacks 5. Impulse IT7 Range Bench 6. IF-IT7013 Multi Adjustable Abdominal Bench 7. Parallel bars width -2 feet height can be adjusted from 2 1/4 feet to 3 1/2 feet- length 8 feet 8. Chattanooga M-2 Hydrocollator 9. Hot Pack, cover for standard 10. Hot Pack, cover for cervical 11. Hot pack, cover, oversize 12. Chattanooga Tx Traction Unit 13. Saunders Cervical Traction W/Clevis (With Mountings) 14. Chattanooga Deluxe Universal Belt System 15. Chattanooga Galaxy TTET 400 Table 16. Tx 4759 Traction Unit 17. Bow flex 5.1 Adjustable Bench - Black/Red Upholstery 18. Manumed; Comfort 4 Sections (200kg); 19. Manumed Osteo 7 Independently Adjustable Sections 20. Titan Neuro (bobath) table (variety) 21. Chattanooga Intelect TranSport Ultrasound System 22. Chattanooga Vectra Genisys Laser Therapy system 23. Chattanooga Vectra Genisys Laser Therapy applicator 24. Wax bath 25. Electrical stimulation (EN-STIM 4 -4 channel unit for elctrotherapy) with Cart **(0.5 Mark per catalog/brochure provided for each requested item)**	**12.5 or 0 Marks**		
2.	**General description:** Treadmill **Technical Specification:** ➢ The Column holding the Display head is of Aluminium Alloy,Sides boards are aluminium, Running Belt is made in Germany, ➢ The motor uses continuous power 3H high-power motors with a peak of upto 7 Horsepower. ➢ Running belt size 3325*558mm, ➢ Effective use size :1420*558mm, ➢ Floor area required: 2110*980*1740 (length*width*height), ➢ Net weight 158kg, ➢ Maximum user load: 200kg, ➢ Brand: KUFITNESS	**4 or 0 Marks**		

3	**General description:** Intenza 550E Series Elliptical: **Technical Specification** ➢ Maximum User Weight 181kg (400 lbs), ➢ Maximum Watts 630 Watts (Level 40 at 150 SPM), ➢ Minimum Watts 15 Watts (Level 1 at 40 SPM), ➢ Pedal to Pedal distance 6cm (2.3"), ➢ Resistance Levels 40 resistance levels meets new European EN957—9 standards, ➢ Step—up Height 35cm (13.7"), Stride Length 52—55cm (20.4—21.6''), User Height Range 147—193cm (4'9" to 6'5"), ➢ Foot Print L x W: 209 x 84cm (83 x 33"), ➢ Product dimensions L x W x H: 209 x 84 x 172cm (83 x 33 x 66"), ➢ Product Net Weight 185kg (408lbs	**3 or 0 Marks**		
4	**General description** Self -Power Generator Motor, Motorized Adjustable Workout Tension with Different Fitness Levels (Flywheel 8kg), **Technical specification** ➢ Screen displays time, speed, heart rate, 12 and watt program, user profile, recovery, manual and distance, ➢ Built in hand grip pulse sensor, ➢ Two one pedals with shock resistance and adjustable strap, ➢ Large adjustable sea(front and back and supportive back rest for optimal comfort and posture throughout the work out), ➢ front transport wheels, ➢ Friction free magnetic resistance, ➢ Tablet/phone holder, ➢ Approximate maximum user 160kg	**3 or 0 Marks**		
5	**General description** Origin Dual range pulley 100kg to 5kg stacks **Technical specification** ➢ Attachments Included Long Bar, Short Bar, Triceps Rope, Ankle Strap, Handle Grips (2), Extension Chains (2), Carabiners (6). High quality chromed. ➢ End Caps Aluminium ➢ Weight 367 kg ➢ Pull Up Bars Yes, plastic covered ➢ Pulley Material Aluminium ➢ shroud Full size iron with powder coating ➢ Box Section 100 x 40 x 3mm Oval ➢ Dimensions 1161 x 1519 x 2178mm (L x W x H) ➢ Finish Matte Black ➢ Weight Stack 2 x 95kg ➢ Thickness 10mm ➢ MPN OF-CS-DAP ➢ SKU OF-CS-DAP	**3 or 0 Marks**		
6	**General description** Impulse IT7 Range Bench **Technical specifications** ➢ Weight 57 kg, Maximum User Weight 120 kg, ➢ Dimensions 1745 x 936 x 997mm (L x W x H).	**2.5 or 0 Marks**		

7	**General description** IF-IT7013 Multi Adjustable Abdominal Bench; **Technical Specification** ➢ SKU IF-IT7013, Manufacturer Part Number (MPN) IT7013, ➢ Dimensions 1738 x 725 x 899mm (L x W x H), ➢ Maximum User Weight 150 kg, ➢ Weight 42.5 kg; Finish Powder Coated	**3 or 0 Marks**		
8	**General description** Parallel bars width -2 feet height can be adjusted from 2 1/4 feet to 3 1/2 feet- length 8 feet **Technical Specifications** ➢ Height – 26"to 35" (To top of rail) ➢ Width – Adjusts from 15" – 32" (Adjustable) ➢ Length – 5 ft or 7 ft ➢ Width when folded is only 8". ➢ Base is 36"wide allowing larger wheel chairs. ➢ Rails adjust from 15" to 32". ➢ Steel handrail. 1" wood plates	**3 or 0 Marks**		
9	**General description** Chattanooga M-2 Hydrocollator; **Technical Specifications** ➢ Mains Power -110~120 V 50/60 Hz ➢ Power Consumption 1000W ➢ Product Weight 48 lb (22 kg) ➢ Shipping Weight 93 lb (42 kg) ➢ Dimensions 27"L x 16"W x 33"H (69 cm x 41 cm x 33 cm) ➢ Electrical Safety Class Class 1, Type B ➢ Safety Tests Conforms to UL 60601-1, certified to Can/CSA C222 No. 601.1 ➢ Tank Capacity (approx. with HotPacs) 14 gal (52 L) ➢ Temperature Range 160° - 165°F (71° - 74°C) ➢ Thermal Cut-Out Temperature 180° - 185°F (82° - 85°C) ➢ Temperature Accuracy +/- 10% ➢ Heat Up Time to 160°F (71°C) 8 Hrs ➢ Cool Down Time from 160°F (71°C) 3 Hrs ➢ Fiberglass Insulation Yes	**4 or 0 Marks**		
10	**General description** Hot Pack, standard **Technical Specifications** ➢ Reusable Moist Heat Pack, Width 12 x Depth 10 ➢ Reusable Moist Heat Pack cover, Width 12 x Depth 10	**3 or 0 Marks**		
11	**General description** Hot Pack cover, cervical **Technical Specifications** ➢ Neck Contour: 24" (60 cm) long. ➢ Neck Contour, cover: 24" (60 cm) long.	**3 or 0 Marks**		
12	**General description** Hot pack cover, oversize **Technical specifications** ➢ Oversize: 15" x 24" (37x60 cm). ➢ Oversize: cover 15" x 24" (37x60 cm).	**3 or 0 Marks**		

13	**General description** Chattanooga Tx Traction Unit; **Technical specifications** ➢ Mains Power: 100-240 V, 50/60 Hz, ➢ Power Consumption: 75 V Current Consumption: 3.2 Amps Max, ➢ Product Weight: 30 lbs (14 kg), ➢ Dimensions: 17.5"L x 9.5"W x 17.5"H (45 cm x 24 cm x 45 cm), ➢ Electrical Safety Class: Class 1, Type B, ➢ Safety Tests: IEC/UL/EN: 60661-1, 60601-1-2; CAN C22.2 No. 601.1-M90 w/A2; cETLus Listed	**3 or 0 Marks**		
14	**General description** Saunders Cervical Traction W/Clevis (With Mountings); **Technical Specifications,** ➢ Product Weight: 8 lb (3.63 kg) ➢ Shipping Weight: 11 lb (4.99 kg), ➢ Shipping Length: 21 in (53.3 cm), ➢ Shipping Width: 11 in (27.9 cm) ➢ Shipping Height: 7 in (17.8 cm)	**3 or 0 Marks**		
15	**General description** Chattanooga Deluxe Universal Belt System: **Technical specifications** ➢ The Chattanooga Deluxe Universal Belt System (#1410) includes a Thoracic Belt (#1420), Pelvic Belt (#1430), and Pelvic Belt Extender (#1427).	**3 or 0 Marks**		
16	**General description** Chattanooga Galaxy TTET 400 Table & Tx 4759 Traction Unit: **Technical specifications** **Chattanooga Galaxy TTET 400 Table** ➢ Scissor frame with four feet and four multidirectional, ➢ Roller-mounted surface ➢ Re positional head and back section elevates to 85 degree ➢ Gas spring assists on friction-free moveable sections for easy positioning ➢ HalloTronic Plus System enables electric high and low height adjustment from 22 to 40 cm with capacity up to 500 LBs **Tx 4759 Traction Unit** ➢ 270° pivoting user interface, Digital monochromatic touch screen interface, Patient Data Cards record up to 14 treatment sessions, Store up to 10 user defined protocols, Intermittent, static and cyclic traction, Progressive and regressive steps, User-defined hold, rest and treatment times, Traction tension parameters: 0-200 lbs, User-defined hold, rest and treatment times, Traction tension parameters: 0-200 lbs, Built-in safety features: - Patient Interrupt Switch, – Cervical maximum poundage warning, – Audible signal at the end of treatment and if Patient Interrupt Switch activates	**4 or 0 Marks**		

17	**General description** Bowflex 5.1 Adjustable Bench - Black/Red Upholstery; **Technical specifications** ➢ Brand Bowflex, Item Weight 15 Kilograms ➢ Material Alloy Steel, Color BLACK, ➢ Product Dimensions 27.09"D x 60.98"W x 41.18"H ➢ Frame Material Alloy Steel, ➢ Weight Limit 300 Pounds, ➢ Global Trade Identification Number 00708447914231, ➢ Manufacturer Johnson Health Tech Trading, U 708447914231	**3 or 0 Marks**		
18	**General descirption** Manumed; Comfort 4 Sections (200kg); **Technical Specifications** ➢ Size tabletop (L x W): 200 x 67 cm (for type 612 and 622 optional 80 cm width), deluxe upholstery is option. 202 x 67 cm (optional 57 or 80 cm width) 45-95 cm approximately 18 sec ➢ Height adjustment: 46-99 cm electric, 46-96 cm hydraulic ➢ Lifting time (min.-max.): approximately 18 sec. ➢ Lifting capacity: 200 kg (electrical motor optional 250 kg) ➢ Power supply: 120/230VAC 50/60 Hz ➢ Current consumption: 2.0 A max.	**3 or 0 Marks**		
19	**General description** Manumed Osteo 7 Independently Adjustable Sections: **Technical specifications** ➢ Size tabletop (lxw): 214 x 67 cm, ➢ Height adjustment: 51-103 cm, ➢ Lifting time (min.-max.): approximately 18 sec., ➢ Lifting capacity: 200 kg, (electrical model optional 250 kg), ➢ Power supply: 230VAC 50/60 Hz, ➢ Current consumption: 2.0 A max	**3 or 0 Marks**		
20	**General description** Titan Neuro (bobath) table (variety): **Technical Specifications** ➢ 101 or 121cm Wide x 201cm Long, 2 Sections, 0-3 HeadHoles Option, ➢ 47 - 95cm Height Range, ➢ 350kg Lift Capacity, ➢ 400kg Weight Capacity, ➢ 150 mm Hoist Clearance ➢ Gas Strut Back Rest, Option for Electric Back Rest, Hand Switch Controller, Option for Foot Switch Controller, X-Frame lift action minimises pinch & crush points, Individual Locking Castors	**3 or 0 Marks**		

21	**General specifications** Chattanooga Intelect TranSport Ultrasound System with accessories; **<u>Technical specifications</u>** ➢ Weight: 5 lb (2.3 kg)., ➢ Dimensions: 12.9" x 11.3" x 6.4" (32.8 cm x 28.8 cm x 16.3 cm)., ➢ Shipping Weight: 9 lb (4 kg)., ➢ Mains Power: 100 - 240 VAC, 50/60 Hz, 1.0 A., ➢ Electrical Safety Class: Class 1, Type B., Safety Tests: UL/IEC/EN 60601-1, IEC/EN 60601-1-2, IEC 60601-2-5., #27478: Intelect Transport Nickel Metal Hydride Battery Pack., #27381: 1 cm2 Sound Head Applicator., #27382: 2 cm2 Sound Head Applicator., #27384: 10 cm2 Sound Head Applicator., #27467: Intelect ➢ Transport Carry Bag.,#7280: Therapy Cart., #2884: Cart Adapter, gray: allows the Intelect Transport to attach securely to the ➢ Therapy Cart: Weight: 31.40 lb (14.24 kg). ➢ Dimensions: 16.25" (W) x 17" (L) x 33.75" (H) (41.28 x 43.18 x 85.73 cm). ➢ Number of Drawers: 6.	**3 or 0 Marks**		
22	**General description** Laser therapy (Chattanooga Vectra Genisys Laser Therapy System) **<u>Technical Specifications</u>** **<u>Chattanooga Vectra Genisys Laser Therapy</u>** ➢ Laser Type: Class IV, Solid State ➢ Laser Wavelength 980/810 nm ➢ Laser Power: 1W - 15W ➢ Operating Modes: CW or Pulsed ➢ Aiming Beam: 650 nm, < 4,5 mW ➢ Dimensions: 17" x 10.5" x 11" (43 cm x 28 cm x 26 cm) ➢ Weight:7 lbs. (3.2 kg) **<u>Chattanooga Vectra Genisys Laser Therapy applicator</u>** ➢ Chattanooga Laser Therapy Single Applicator 850NM 100MW for Vectra Genisys 27840 ➢ Single Diode, 850 nm Laser Diode 100 mW ➢ Laser protective eyewear (2x), 28066 - CD with PDF of User Manual	**3 or 0 Marks**		
23	**General description** Wax bath **<u>Technical Specifications</u>** Use for Body Power Source: Corded Electric Material: Metal Item Weight: 3.93 Kilograms Special Feature:Portable, Lightweight, Speed Control, Product Dimensions: 33L x 26W x 29H Centimeters	**3 or 0 Marks**		

24	**General description** Electrical stimulation (EN-STIM 4 -4 channel unit for electrotherapy) with Cart; **Technical specifications** ➢ Product Weight 25 lbs (11.4 kg) ➢ Product Length 16.25 in (41.3 cm) ➢ Product Width 17 in (43.2 cm) ➢ Product Height 42.5 in (108 cm) ➢ Mains Power 100-240 VAC, 50/60 Hz ➢ Safety Tests UL/IEC/EN 60601-1, IEC/EN 60601-1-2, IEC 60601-2-5, IEC 60601-2-10 ➢ Electrical Class Class 1, Type BF ➢ Standard Accessories: Patient Data Card (1x), 27465, Electrotherapy Leadwire Channel 1 – 27312, Electrotherapy Leadwire Channel 2 – 27313, Electrotherapy Leadwire Channel 3 – 27314, Electrotherapy Leadwire Channel 4 – 27315, DURA-STICK II 2.75 in (7cm) Round Electrodes (4x) - 42044	**3 or 0 Marks**		
25	**Warranty:** Provide Warranty for at least 2 years from date of delivery for; 1. Treadmill 2. Intenza 550E Series Elliptical 3. Self -Power Generator Motor, Motorized Adjustable Workout Tension with Different Fitness Levels (Flywheel 8kg). 4. Origin Dual range pulley 100kg to 5kg stacks 5. Impulse IT7 Range Bench 6. IF-IT7013 Multi Adjustable Abdominal Bench 7. Parallel bars width -2 feet height can be adjusted from 2 1/4 feet to 3 1/2 feet- length 8 feet 8. Chattanooga M-2 Hydrocollator 9. Chattanooga Tx Traction Unit 10. Saunders Cervical Traction W/Clevis (With Mountings) 11. Chattanooga Deluxe Universal Belt System 12. Chattanooga Galaxy TTET 400 Table & Tx 4759 Traction Unit 13. Bow flex 5.1 Adjustable Bench - Black/Red Upholstery 14. Manumed; Comfort 4 Sections (200kg); 15. Manumed Osteo 7 Independently Adjustable Sections 16. Titan Neuro (bobath) table (variety) 17. Chattanooga Intelect TranSport Ultrasound System 18. Chattanooga Vectra Genisys Laser Therapy system 19. Chattanooga Vectra Genisys Laser Therapy applicator 20. Electrical stimulation (EN-STIM 4 -4 channel unit for electrotherapy) with Cart **Each item with a brochure/catalogue is awarded 0.5 Marks**	**10 Marks**		
26	Indicate lead time for delivery of the items; a) Less than 4 weeks - **(3 Marks)** b) 5-8 weeks - **(2 Marks)** c) More than 8 weeks – **(1 Mark)** d) Not Provided - **(0 Marks)**	**3 Marks**		

27	Provide proof of supply of medical-related items and accessories in the recent past (2018 to date) specifying the value (Attach purchase orders/contracts/invoices as proof) a) Orders below KES 5M – **(1 Mark)** b) Orders above KES 5M - but below KES 10M- **(2 Marks)** c) Orders above KES 10M - **(3 Marks)** d) Not Provided – **(0 Marks)**	**3 Marks**		
	TOTAL MARKS	**100 Marks**		
Only bidders who score at least 75 Marks and above shall proceed to the next stage of evaluation, the Financial review evaluation stage				

SECTION 4: Confidential Business Questionnaire

You are requested to give the particulars indicated in part 1 and either part 2(a), 2(b) or 2(c) whichever applies to your type of business.

Part 1 - General

Business Name: …… Location of Business premises: Country/Town…….. Postal Address: ……. Code: …… Town: ……..……

Tel No.: …… E-mail: ……

Fax: …… Nature of Business: ……

……

Part 2 (a) – Individuals

Your Name in full: …… Nationality: ……..

Country of Origin: …… Citizenship details ……..

Part 2 (b) – Partnership

	Name:	Nationality:	Citizenship Details:	Shares
1.	……			
2.	……			
3.	……			

Part 2 (c) – Registered Company

Private or Public:

……..

State the nominal and issue capital of the company:

……

……

Nominal KES:

……..

Issued KES:

……

Give details of all directors as follows:

	Name:	Nationality:	Citizenship Details:	Shares
1.	……			
2.	……			
3.	……			

SECTION 5: Tender Security Form

TENDER NO./AMREF/19/03/2025/001

SUPPLY, DELIVERY AND INSTALLATION OF PHYSIOTHERAPY LABORATORY EQUIPMENT – LOT 3

To: Amref Health Africa,

WHEREAS *[insert: **name of Tenderer**]* (hereinafter called "the Tenderer") has submitted its tender dated *[insert: **date of tender**]* for the performance of the above-named Contract (hereinafter called "the Tender")

KNOW ALL PERSONS by these present that WE *[insert: **name of bank**]* of *[insert: **address of bank**]* (hereinafter called "the Bank") are bound unto *[insert: **name of Purchaser]*** (hereinafter called "the Purchaser") in the sum of: *[insert: **amount]***, for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents.

Sealed with the Common Seal of the said Bank this *[insert: **number**]* day of *[insert: **month**], [insert: **year**]*.

THE CONDITIONS of this obligation are the following:

1. If, after the tender submission deadline, the Tenderer
    i. withdraws its tender during the period of tender validity specified by the Tenderer in the Tender Form, or
    ii. does not accept the Purchaser's corrections of arithmetic errors in accordance with the Instructions to Tenderers; or
    iii. does not at all reply to the Purchaser's requests for clarification.

2. If the Tenderer, having been notified of the acceptance of its tender by the Purchaser during the period of tender validity
    (a) fails or refuses to sign the Contract Agreement when required; or
    (b) Fails or refuses to issue the performance security in accordance with the Instructions to Tenderers.

We undertake to pay to the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due it, owing to the occurrence of any one of the two above-named CONDITIONS, and specifying the occurred condition or conditions.

This guarantee will remain in full force up to and including **Monday, September 29 2025**, and any demand in respect thereof must reach the Bank not later than the above date.

Note: A bidder who withdraws its tender after the deadline for submission will forfeit its bid security deposit.

For and on behalf of the Bank

Signed:_____ Date: _____

SECTION 6: Manufacturers' Authorization Form

(Must be on the Manufacturer's or Producer's letterhead)

To: Amref Health Africa,
Opposite Langata Road Primary School,
P.O Box 30195-00100
Nairobi, Kenya.

Dear Sirs,

WHEREAS *[insert: **name of the Manufacturer** or **Producer**]* (hereinafter, "we" or "us") who are established and reputable manufacturers or producers of *[insert: **name and/or description of the Goods requiring this authorization**]* (hereinafter, "Goods") having production facilities at *[insert: **address of factory**]* do hereby authorize *[insert: **name and address of Tenderer**]* (hereinafter, the "Tenderer") to submit a tender, and subsequently negotiate and sign the Contract with you against [*insert: **the specific tender name and tender number**]* for supply of laboratory equipment, including the above Goods produced by us.

We hereby extend our full guarantee and warranty for the above specified Goods against these tender documents.

For and on behalf of the Manufacturer or Producer:

Signed: _____

Date: _____

In the capacity of *[insert: **title, position, or other appropriate designation**]* and duly authorized to sign this Authorization on behalf of *[insert: **name of manufacturer or producer**]*

NOTE: Manufacturer's Authorization must be on LETTER HEAD and addressed to Amref Health Africa and must be specific to the tender and item and signed by an authorized signatory. -MANDATORY

SECTION 7: References

BANK REFERENCES	
BANK HOLDING MAIN ACCOUNT	
Bank name and address:	
Name of account:	
Account number:	How long open?

COMMERCIAL REFERENCES	
Provide names and contract details of two customers who may be approached to verify your capacity to perform against similar contracts.	
LOCAL/INTERNATIONAL TRADE REFERENCE – CUSTOMER 1	
Name and address:	
Activity:	Period of relationship:
Contact name:	Fax no.:
Telephone No.:	
LOCAL/INTERNATIONAL TRADE REFERENCE – CUSTOMER 2	
Name and address	
Activity:	Period of relationship:
Contact name:	Fax no.:
Telephone No.:	

SECTION 8: Delivery Schedule of Goods

DESCRIPTION	QTY	UOM	DELIVERY LOCATION
Supply, delivery and installation of physiotherapy equipment	LOT	1	Amref International University, Northlands Campus

Bidders are requested to quote and schedule delivery for all listed items in the specified quantities below.

NO.	ITEM DESCRIPTION	UOM	QUANTITY
1	**Treadmill**: ➢ The Column holding the Display head is of Aluminium Alloy, Sides boards are aluminium, Running Belt is made in Germany, ➢ The motor uses continuous power 3H high-power motors with a peak of upto 7 Horsepower. ➢ Running belt size: 3325*558mm, ➢ Effective use size: 1420*558mm, ➢ Floor area required: 2110*980*1740 (length*width*height), ➢ Net weight: 158kg, ➢ Maximum user load: 200kg, ➢ Brand: KUFITNESS	**Piece**	**1**
2	**Intenza 550E Series Elliptical:** ➢ Maximum User Weight: 181kg (400 lbs), ➢ Maximum Watts: 630 Watts (Level 40 at 150 SPM), ➢ Minimum Watts: 15 Watts (Level 1 at 40 SPM), ➢ Pedal to Pedal distance: 6cm (2.3"), ➢ Resistance Levels 40 resistance levels meets new European EN957—9 standards, ➢ Step—up Height 35cm (13.7"), Stride Length 52—55cm (20.4—21.6''), User Height Range 147—193cm (4'9" to 6'5"), ➢ Foot Print L x W: 209 x 84cm (83 x 33"), ➢ Product dimensions L x W x H: 209 x 84 x 172cm (83 x 33 x 66"), ➢ Product Net Weight 185kg (408lbs	**Piece**	**1**
3	**Self -Power Generator Motor, Motorized Adjustable Workout Tension with Different Fitness Levels (Flywheel 8kg),** ➢ Screen displays time, speed, heart rate, 12 and watt program, user profile, recovery, manual and distance, ➢ Built in hand grip pulse sensor, ➢ Two one pedals with shock resistance and adjustable strap, ➢ Large adjustable sea(front and back and supportive back rest for optimal comfort and posture throughout the work out), ➢ front transport wheels, ➢ Friction free magnetic resistance, ➢ Tablet/phone holder, ➢ Approximate maximum user 160kg	**Piece**	**1**
4	**Origin Dual Range Pulley 100kg to 5kg Stacks** ➢ Attachments Included: -Long Bar, Short Bar, Triceps Rope, Ankle Strap, Handle Grips (2), Extension Chains (2), Carabiners (6). High quality chromed. ➢ End Caps: Aluminium ➢ Weight: 367 kg	**Piece**	**1**

	➢ Pull Up Bars: Yes, plastic covered ➢ Pulley Material: Aluminium ➢ Shroud: Full size iron with powder coating ➢ Box Section: 100 x 40 x 3mm Oval ➢ Dimensions: 1161 x 1519 x 2178mm (L x W x H) ➢ Finish: Matte Black ➢ Weight Stack: 2 x 95kg ➢ Thickness: 10mm ➢ Warranty Type: - Commercial Warranty ➢ Commercial Warranty Details: Frame: 5 Years Upholstery: 6 Months Parts: 1 Year Limited warranty against manufacturing defects, does not include wear and tear. ➢ MPN: OF-CS-DAP ➢ SKU: OF-CS-DAP ➢ Condition: - New		
5	**Impulse IT7 Range Bench** ➢ Weight: 57 kg, Maximum User Weight: 120 kg, ➢ Dimensions: 1745 x 936 x 997mm (L x W x H).	**Pieces**	**2**
6	**IF-IT7013 Multi Adjustable Abdominal Bench;** ➢ SKU IF-IT7013, Manufacturer Part Number (MPN) IT7013, ➢ Dimensions: 1738 x 725 x 899mm (L x W x H), ➢ Maximum User Weight: 150 kg, ➢ Weight: 42.5 kg, ➢ Finish Powder Coated	**Pieces**	**2**
7	**Parallel bars** width -2 feet height can be adjusted from 2 1/4 feet to 3 1/2 feet-length 8 feet ➢ Height: 26”to 35” (To top of rail) ➢ Width: Adjusts from 15” – 32” (Adjustable) ➢ Length: 5 ft or 7 ft ➢ Width when folded is only 8”. ➢ Base is 36”wide allowing larger wheelchairs. ➢ Rails adjust from 15” to 32”. ➢ Steel handrail. 1” wood plates	**Piece**	**1**
8	**Chattanooga M-2 Hydrocollator;** ➢ Mains Power: -110~120 V 50/60 Hz ➢ Power Consumption: - 1000W ➢ Product Weight: - 48 lb (22 kg) ➢ Shipping Weight: - 93 lb (42 kg) ➢ Dimensions: - 27"L x 16"W x 33"H (69 cm x 41 cm x 33 cm) ➢ Electrical Safety Class: - Class 1, Type B ➢ Safety Tests Conforms to UL 60601-1, certified to Can/CSA C222 No. 601.1 ➢ Tank Capacity (approx. with HotPacs): - 14 gal (52 L) ➢ Temperature Range 160° - 165°F (71° - 74°C) ➢ Thermal Cut-Out Temperature 180° - 185°F (82° - 85°C) ➢ Temperature Accuracy +/- 10% ➢ Heat Up Time to 160°F (71°C) 8 Hrs ➢ Cool Down Time from 160°F (71°C) 3 Hrs ➢ Fiberglass Insulation Yes	**Piece**	**1**

9	**Hot Pack, Standard** ➢ Reusable Moist Heat Pack, Width 12 x Depth 10 ➢ Reusable Moist Heat Pack cover, Width 12 x Depth 10	**Piece**	**1**
10	**Hot Pack Cover, Cervical** ➢ Neck Contour: 24" (60 cm) long. ➢ Neck Contour, cover: 24" (60 cm) long.	**Piece**	**1**
11	**Hot Pack Cover, Oversize** ➢ Oversize: 15" x 24" (37x60 cm). ➢ Oversize:, cover 15" x 24" (37x60 cm).	**Piece**	**1**
12	**Chattanooga Tx Traction Unit;** ➢ Mains Power: 100-240 V, 50/60 Hz, ➢ Power Consumption: 75 V Current Consumption: 3.2 Amps Max, ➢ Product Weight: 30 lbs (14 kg), ➢ Dimensions: 17.5"L x 9.5"W x 17.5"H (45 cm x 24 cm x 45 cm), ➢ Electrical Safety Class: Class 1, Type B, ➢ Safety Tests: IEC/UL/EN: 60661-1, 60601-1-2; CAN C22.2 No. 601.1-M90 w/A2; cETLus Listed	**Piece**	**1**
13	**Saunders Cervical Traction W/Clevis (With Mountings);** ❖ Specifications, ➢ Product Weight: 8 lb (3.63 kg) ➢ Shipping Weight: 11 lb (4.99 kg), ➢ Shipping Length: 21 in (53.3 cm), ➢ Shipping Width: 11 in (27.9 cm) ➢ Shipping Height: 7 in (17.8 cm)	**Piece**	**1**
14	**Chattanooga Deluxe Universal Belt System:** ➢ The Chattanooga Deluxe Universal Belt System (#1410) includes a Thoracic Belt (#1420), Pelvic Belt (#1430), and Pelvic Belt Extender (#1427).	**Piece**	**1**
16	**Chattanooga Galaxy TTET 400 Table & Tx 4759 Traction Unit:** **Chattanooga Galaxy TTET 400 Table** ➢ Scissor frame with four feet and four multidirectional, ➢ Roller-mounted surface ➢ Re positional head and back section elevates to 85 degree ➢ Gas spring assists on friction-free moveable sections for easy positioning ➢ HalloTronic Plus System enables electric high and low height adjustment from 22 to 40 cm with capacity up to 500 LBs **Tx 4759 Traction Unit** ➢ 270° pivoting user interface, Digital monochromatic touch screen interface, Patient Data Cards record up to 14 treatment sessions, Store up to 10 user defined protocols, Intermittent, static and cyclic traction, Progressive and regressive steps, User-defined hold, rest and treatment times, Traction tension parameters: 0-200 lbs, User-defined hold, rest and treatment times, Traction tension parameters: 0-200 lbs, Built-in safety features: - Patient Interrupt Switch, – Cervical maximum poundage warning, – Audible signal at the end of treatment and if Patient Interrupt Switch activates	**Piece**	**1**

17	**Bowflex 5.1 Adjustable Bench - Black/Red Upholstery;** ➢ Brand Bowflex, Item Weight 15 Kilograms ➢ Material Alloy Steel, Color BLACK, ➢ Product Dimensions 27.09"D x 60.98"W x 41.18"H ➢ Frame Material Alloy Steel, ➢ Weight Limit 300 Pounds, ➢ Global Trade Identification Number 00708447914231, ➢ Manufacturer Johnson Health Tech Trading, U 708447914231	**Piece**	**1**
18	**Manumed; Comfort 4 Sections (200kg);** ➢ Size tabletop (L x W): 200 x 67 cm (for type 612 and 622 optional 80 cm width),de luxe upholstery is option. 202 x 67 cm (optional 57 or 80 cm width) 45-95 cm approximately 18 sec ➢ Height adjustment: 46-99 cm electric, 46-96 cm hydraulic ➢ Lifting time (min.-max.): approximately 18 sec. ➢ Lifting capacity: 200 kg (electrical motor optional 250 kg) ➢ Power supply: 120/230VAC 50/60 Hz ➢ Current consumption: 2.0 A max.	**Piece**	**1**
19	**Manumed Osteo 7 Independently Adjustable Sections:** ➢ Size tabletop (lxw): 214 x 67 cm, ➢ Height adjustment: 51-103 cm, ➢ Lifting time (min.-max.): approximately 18 sec., ➢ Lifting capacity: 200 kg, (electrical model optional 250 kg), ➢ Power supply: 230VAC 50/60 Hz, ➢ Current consumption: 2.0 A max	**Piece**	**1**
20	**Titan Neuro (bobath) table (variety):** ➢ 101 or 121cm Wide x 201cm Long, 2 Sections, 0-3 HeadHoles Option, ➢ 47 - 95cm Height Range, ➢ 350kg Lift Capacity, ➢ 400kg Weight Capacity, ➢ 150 mm Hoist Clearance ➢ Gas Strut Back Rest, Option for Electric Back Rest, Hand Switch Controller, Option for Foot Switch Controller, X-Frame lift action minimises pinch & crush points, Individual Locking Castors	**Piece**	**1**
21	**Chattanooga Intelect TranSport Ultrasound System with accessories;** ➢ Weight: 5 lb (2.3 kg)., ➢ Dimensions: 12.9" x 11.3" x 6.4" (32.8 cm x 28.8 cm x 16.3 cm)., ➢ Shipping Weight: 9 lb (4 kg)., ➢ Mains Power: 100 - 240 VAC, 50/60 Hz, 1.0 A., ➢ Electrical Safety Class: Class 1, Type B., Safety Tests: UL/IEC/EN 60601-1, IEC/EN 60601-1-2, IEC 60601-2-5., #27478: Intelect Transport Nickel Metal Hydride Battery Pack., #27381: 1 cm2 Sound Head Applicator., #27382: 2 cm2 Sound Head Applicator., #27384: 10 cm2 Sound Head Applicator., #27467: Intelect ➢ Transport Carry Bag.,#7280: Therapy Cart., #2884: Cart Adapter, gray: allows the Intelect Transport to attach securely to the **Therapy Cart:** Weight: 31.40 lb (14.24 kg). ➢ Dimensions: 16.25" (W) x 17" (L) x 33.75" (H) (41.28 x 43.18 x 85.73 cm). ➢ Number of Drawers: 6.	**Piece**	**1**

22	**Laser therapy (Chattanooga Vectra Genisys Laser Therapy System)** ➢ Laser Type: Class IV, Solid State ➢ Laser Wavelength 980/810 nm ➢ Laser Power: 1W - 15W ➢ Operating Modes: CW or Pulsed ➢ Aiming Beam: 650 nm, < 4,5 mW ➢ Dimensions: 17" x 10.5" x 11" (43 cm x 28 cm x 26 cm) ➢ Weight: 7 lbs. (3.2 kg) **Chattanooga Vectra Genisys Laser Therapy applicator** ➢ Chattanooga Laser Therapy Single Applicator 850NM 100MW for Vectra Genisys 27840 ➢ Single Diode, 850 nm Laser Diode 100 mW ➢ Laser protective eyewear (2x), 28066 - CD with PDF of User Manual	**Piece**	**1**
23	**Wax bath (Use for Body)** ➢ Power Source: Corded Electric ➢ Material: Metal ➢ Item Weight: 3.93 Kilograms ➢ Special Feature: Portable, Lightweight, Speed Control, ➢ Product Dimensions: 33L x 26W x 29H Centimeters	**Piece**	**1**
24	**Electrical stimulation (EN-STIM 4 -4 channel unit for electrotherapy) with Cart;** ➢ Product Weight: 25 lbs (11.4 kg)) ➢ Product Length: 16.25 in (41.3 cm) ➢ Product Width: 17 in (43.2 cm) ➢ Product Height: 42.5 in (108 cm) ➢ Mains Power: 100-240 VAC, 50/60 Hz ➢ Safety Tests UL/IEC/EN 60601-1, IEC/EN 60601-1-2, IEC 60601-2-5, IEC 60601-2-10 ➢ Electrical Class: Class 1, Type BF ➢ Standard Accessories: Patient Data Card (1x), 27465, Electrotherapy Leadwire Channel 1 – 27312, Electrotherapy Leadwire Channel 2 – 27313, Electrotherapy Leadwire Channel 3 – 27314, Electrotherapy Leadwire Channel 4 – 27315, DURA-STICK II 2.75 in (7cm) Round Electrodes (4x) - 42044	**Piece**	**1**

PART B: FINANCIAL REQUIREMENTS

PLEASE PROVIDE THIS IN A DIFFERENT *ENVELOPE* *[The financial bid **MUST** be in a separate envelope marked with the tender reference number, tender name, vendor's name and vendor's contact details. The financial bid will only be opened for those bidders who will have qualified in the technical evaluation]*

SECTION 1: Price Schedule

BIDDERS NAME	SPECIFICATIONS	TENDER NUMBER	QTY	UNIT PRICE	16% VAT	TOTAL	REMARKS
			TOTAL PRICE				

SECTION 2: Delivery Leadtime

BIDDERS NAME	SPECIFICATIONS	TENDER NUMBER	QTY	DELIVERY LEAD TIME	REMARKS
		TOTAL			

Note. In case of a discrepancy between the unit price and the total, the unit price shall prevail.

Currency:	**Grand Total Bid Price:**	**Amount in Figures:**
		Amount in Words:
Bidder's Name and Address:	**Date**	**Signature and Stamp:**

Note: Indicate the breakdown of all taxes applicable.

DECLARATION

I/We have completed this form (s) accurately at the time of reply and it is agreed that all responses can be substantiated, if requested to do so, and that any inaccuracy in the information filled herein will lead to disqualification of the tenderer.

For and on behalf of:
……

Name:
……

Date:
……

Signature:
……

DELIVERY COMMITMENT FORM

I/We …….. acknowledge the delivery schedule above
[***insert: tenderers name***]
for the procurement of …….. and do hereby commit
[***insert: description and the tender number***]
ourselves that we shall deliver these goods within ……..as stipulated in this tender document. ***[insert: timelines]***

For and on behalf of:

……

Name:

……

Date:

……

Signature:

……..

ANNEX 1: STAGES OF TENDER

PART A

a) Preliminary Evaluation

Tenderers are required to comply with mandatory requirements

- ✓ Bidders who shall not provide any of the documents shall be considered non-responsive and shall not proceed to the next stage(s) of evaluation

b) Technical Evaluation

i. **Documents Examination**

- ✓ Bidders who will not meet the pass mark(s) as specified shall be considered non-responsive and shall not proceed to the next stage(s) of evaluation

ii. **Product Evaluation**

- ✓ The technical evaluation shall involve the product evaluation and or samples where applicable

PART B

a) Financial Evaluation & Delivery lead time evaluation

- ✓ Tenderers who are successful at the proceeding stages shall have their prices and delivery period compared and award recommended to the lowest evaluated responsive bid.

b) Contracting

- ✓ If accepting the offer, the successful bidder shall be contracted per the sample standard agreement accessible on the Amref website.